

THIS DOCUMENT IS THE PROPERTY OF BOSTON WHALER, INC. MFG. DEPT., EDGEWATER, FLORIDA. ALL RIGHTS ARE RESERVED. THIS DOCUMENT AND INFORMATION CONTAINED MUST NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION OF BOSTON WHALER, INC.

DWG. NO:

11201

REV.

T

CURRENT ECD


09066028

NOTES:

1. APPLY WHITE SILICONE SEALANT TO ALL FASTENER HOLES WHEN SCREWS ARE INSTALLED.
2. SEE DWG. 01-300 FOR TIE CABLES & TIE BLOCKS P/N & STANDARDS.

REVISIONS

REV.	DESCR.	BY	DATE	APPVD.	ECN NO.
Q	CHANGE LOCATION FOR THE MAGNET LOCATION FROM 6.5" TO 12.5" AND HARDWARE CHANGES FOR DOOR	AVR	3/16/09	AVR	09015720
R	MYE '10, #90 WAS 1803894, #91 WAS 1312750	BH	7/16/09	RW	09066040
S	ADDED ITEM #107 1735836 AND CHANGED NOTE FOR APPLICATION	SG	8/13/09	AVR	09076076
T	#4 QTY WAS 70, #10 QTY WAS 34, #38 QTY WAS 40, #39 WAS 09419, ADD #108	AT	9/22/09		09066028



INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y 14.5
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
TOLERANCES: ANGLES = $\pm .5^\circ$.XXX = $\pm .010$
 .X = $\pm .1$ X = $\pm 1/16$
 .XX = $\pm .03$ X = $\pm 1/16$
DO NOT SCALE DRAWING

BOSTON
WHALER

PRODUCT DEV. & MFG. ENGINEERING GROUP

CHECKED: R. AVILA

DATE: 4/27/05

DRAWN: M ZAFFUTO

DATE: 04/18/05

SCALE: NONE

BOAT MODEL

320CD

MOLD NO.

APPD: K. RANIERI

DATE: 4/27/05

DWG. TITLE:

FINAL ASSEMBLY

INIT. REL. ECN NO:


040914

DWG. NO:




11201


SHT. NO.


1 OF 8





MAGNETIC LATCH
LOCATION
AT TRANSOM DOOR











BULKHEAD ANCHOR LOCKER

Parts List			
ITEM	STD/OPT	U/M	DESCRIPTION
1	38 -2	EA.	SCREW, TAPPING #10 x 3/4 PTH SC
2	1 -1	EA.	ACC, PART MERC SPEEDOMETER/ TEMP DIGITAL
3	18 -	EA.	NUT, HEX #1/4-20 SC
4	60 -	EA.	WASHER FENDER 1/4" x 1.25" SC
5	8 -2	EA.	SCREW, TAPPING #10A x 1" PTH SC
6	150 -	EA.	SCREW, TAP #10A X 1.5" W/STP EPXY ORNG PFH SC
7	1 -	EA.	CAP, RUBRAIL BW3200R-03 TRNSM TRIM WHT
8	125 -	EA.	SCREW, TAP #10A X 1.25"W/STP EPXY ORNG PFH SC
9	27 -	EA.	SCREW, TAPPING #10A x 1.5" PTH SC
10	22 -	EA.	SCREW, MACHINE #1/4-20 X 1.5" PPH SC
11	14 8	EA.	SNAP STUD, W/ #8 x 3/8" PH BR/N/SS
12	3 -	EA.	HOLDER, MAGNETIC SHORT
13	72 -	FT.	INSERT, RUB RAIL GREY FLEX VINYL
14	1 -	EA.	RUBRAIL, VINYL RIGID WHITE 20'
15	8 -	EA.	SCREW, TAPPING #8A X 5/8" POH
16	1 -	EA.	CONSOLE SUB-ASSY
17	8 -	EA.	SCREW, TAPPING #10A X 1.5" PPH SC
18	1 -1	EA.	ACC PART, MERC FINDER/TRANSDUCER, TRNS MNT
19	1 -	EA.	CUSH, BW3200R-05 STERN SEAT B/R
20	1 -	EA.	CUSH, BW3200R-05 STERN SEAT B/R
21	1 -	EA.	CUSH, BW320CD-05 B/R VBRTH STB BLST
22	1 -	EA.	CUSH, BW320CD-05 B/R VBRTH PRT
23	1 -	EA.	CUSH, BW320CD-05 B/R VBRTH PRT BLST
24	1 -	EA.	BOLSTER, BW320CD-05 AFT PRT
25	1 -	EA.	BOLSTER, BW3200R-05 AFT STB
26	1 -	EA.	CUSH, BW320CD-05 B/R VBRTH STB BLST
27	1 -	EA.	CUSH, BW320CD-05 B/R VBRTH STB
28	1 -	EA.	CUSH, BW320CD-05 VBRTH FLR STB
29	1 -	EA.	HARD TOP SUB-ASSEMBLY
30	3 -	EA.	RUBRAIL, VINYL RIGID WHT 17.5'
31	1 -	EA.	FUEL TANK COVER SUB-ASSY
32	2 -	EA.	THRU-HULL, PVC PRESS-FIT
33	2 -	EA.	NUT, PVC RETAINING THRU-HULL
34	1 -	EA.	CUSH, BW320CD-07 VBRTH FWD
35	1 -	EA.	CUSH, BW320CD-07 VBRTH PRT
36	1 -	EA.	CUSH, BW320CD-07 VBRTH STB
37	2 -	EA.	SCREW, TAPPING #10A X 1" POH SC
38	28 -	EA.	NUT, HEX NYLON LOCK #1/4-20 SC
39	1 -	EA.	PREP STATION SUB ASSEMBLY
40	1 -	EA.	ANCHOR, 25LB PLOW
41	- 1	EA.	ANCHOR, 25LB POLISHED SS PLOW
42	1 -	EA.	ROPE/CHN KIT, LOFRANS 9/16"X200'/5/16"X25' HT
43	1 -	EA.	ANCHOR SHACKLE, SS SWIVEL 1/4"-5/16" 1900LBS
44	1 -	EA.	HOLDER, HDPE BW3200R-03 WNDLS REMOTE
45	16 -	EA.	SCREW, MACHINE #1/4-20 X 1.25" PPH
46	2 -	EA.	SCREW, TAPPING #8A X 5/8 POH
47	4 -	EA.	SCREW, MACHINE #8-32 X 5/8" POH SC
48	4 -	EA.	NUT, ACORN #8-32 SC
49	8 -	EA.	RIVET, POP/BLIND #1/4 X 3/4" ALUM

INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y 14.5
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
TOLERANCES: ANGLES = ± .5° .XXX = ± .010
.X = ± .1
.XX = ± .03
X = ± 1/16
DO NOT SCALE DRAWING

DRAWN: M ZAFFUTO

DATE: 04/18/05

SCALE: NONE

DWG. TITLE:

FINAL ASSEMBLY

BOAT MODEL

320CD

MOLD NO.

INIT. REL. ECN NO:

040914

DWG. NO:

11201

SHT. NO.

7 of 8

DWG. NO:
11201

REV.
T

CURRENT ECD
09066028

50	1	-	EA.	CUSH, BW320CD-05 B/R CNSL	1797629
51	1	-	EA.	CUSH, BW320CD-05 CNSL BASE	1797602
52	1	-	EA.	CUSH, BW320CD-05 B/R L-SEAT FWD MID	1797600
53	1	-	EA.	CUSH, BW320CD-05 B/R L-SEAT AFT	1797628
54	1	-	EA.	CUSH, BW320CD-05 B/R L-SEAT FWD LWR	1797627
55	1	-	EA.	CUSH, BW320CD-05 L-SEAT BASE	1797599
56	2	-	EA.	CAP, VINYL 2.125"DIA X 1.5" BLK	1788737
57	1	-	EA.	CUSH, BW320CD-05 B/R L-SEAT FWD UPR	1797626
58	1	-	EA.	SCREW, TAPPING #14A X 1" PPH SC	1008689
59	2	-	EA.	SPEAKER, JL 4.0" COAXIAL INT	1896123
60	22	-	EA.	SCREW, TAPPING #8A X 5/8" PTH SC	1010925
61	6	-	EA.	SCREW, MACHINE #10-24 X 3/4" PTH SC	1008705
62	2	-	EA.	BRACKET, ALUM BW320CR-03 SUPPRT INT	1745377
63	1	-	EA.	STEP, ALUM/HDPE BW2700R-02 CNSL ENTRY	1809653
64	2	-	EA.	ROD HOLDER, HDPE BW320CD-05 CBN INT	1796982
65	1	-	EA.	FLOORING, FLEXITEEK BW320CD-05 CABIN	1797322
66	1	-	EA.	CUSH, BW320CD-05 BLKHD STB	1796978
67	1	-	EA.	CUSH, BW320CD-05 BLKHD PRT	1796974
68	2	-	EA.	ROD HOLDER, PLAS BW205EP-05 BLK W/WHT TRIM	1785535
69	1	-	EA.	SUPPORT, HDPE BW320CD-05 VBRTH FLR	1797301
70	-	1	EA.	CUSH, BW320CD-05 SUN LNGR	1797601
71	1	-	EA.	CUSH, BW320CD-05 VAL PRT	1796913
72	1	-	EA.	CUSH, BW320CD-05 VAL STB	1796914
73	1	-	EA.	CUSH, BW320CD-05 BLKHD ANCHOR LCKR	1796979
74	1	-	EA.	V-BERTH SUB-ASSEMBLY	09651
75	8	-	EA.	CLEAT, HDPE BW280CQ/OR-00 FOAM TROUGH	1474402
76	16	-	EA.	SCREW, TAPPING #6A X 1" PPH SC	1184548
77	1	-	EA.	THRESHOLD, HDPE BW320CD-05 COMPLY	1796981
78	6	-	EA.	SCREW, TAPPING #10A X 1.25" POH SC	1213255
79	1	-	EA.	RAIL, BW320CD-05 BOW 1"SS	1796985
80	24	-	EA.	SCREW, MACHINE #10-24 X 1.25" PPH SC	1008630
81	18	-	EA.	SCREW, TAPPING #8A X 1/2" PTH SC	1008812
82	1	-	EA.	DOOR, ACRY BW320CD-05 COMPLY CMPLT	1797591
83	1	-	EA.	TRIM, PVC BW320CD-05 COMPLY	1796980
84	6	-	EA.	SCREW, TAPPING #10A X 1.25" POH SC	1213255
85	10	-	EA.	SCREW, TAPPING #8A X 1" POH SC	1213065
86	18	-	EA.	WASHER, LOCK/SPLIT 1/4" SC	1260595
87	1	-	EA.	POCKET, ABS BW320CD-05 L-SEAT STRG	1797603
88	2	-	EA.	DRINKHOLDR, PLAS W/DRAIN DEEP XLG SZ BLK	1727419
89	1	-	EA.	RECEPTACLE, FEMALE 12V LONG THRD WHT	1685255
90	1	-	EA.	STEREO, REMOTE CNTRL W/DIG DSPLY F/CMD6 BLK	1970759
91	1	-	EA.	CABLE, CLARION REMOTE EXTENSION F/NW1 25'	1970757
92	2	-	EA.	THE, CABLE 6" LG NYLON BLK	0999672
93	2	-	EA.	THE, CLIP BLK	1031764
94	0	-	FT.	HOSE, PVC CLEAR 3/8"	0124347
95	1	-	EA.	ACCESS PLATE, PLAS 6" BEIGE	1799578
96	3	-	EA.	SNAP STUD, W/#8 X 3/8" PH BR/NI/SS	0203786
97	20	-	EA.	SCREW, TAPPING #10A X 3/4" PTH SC	1008762
98	-	-	EA.	SCREW, MACHINE #8A X 5/8" PTH SC	1010925
99	20	-	EA.	SCREW, MACHINE #5/16-18 X 2" PPH SC	1806802
100	6	-	EA.	SCREW, MACHINE #5/16-18 X 3" PPH SC	1806803
101	-	1	EA.	CUSH, BW320CD-07 BLKHD STB A/C	1846595
102	-	1	EA.	A/C COMP, GRILL 3" WHT W/DBL LVR	1604230
103	-	2	EA.	SCREW, TAPPING #8A X 1/2" PTH SC	1008812
104	-	1	EA.	A/C COMP, GRILL 10X8 RA PLAS WHT W/FILTER	1126929
105	-	6	EA.	RIVET, POP/BLIND #1/8 X 3/8" ALUM	0192047
106	2	-	EA.	SCREW, TAPPING #8A X 1/2" PPH SC	1213107
107	4	-	EA.	SEALANT, URETHANE WHT SIKAFLEX 291 200Z TUBE	1735836
108	14	-	EA.	SCREW, MACHINE #1/4-20 X 2" PPH SC	1008614

INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y 14.5
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
TOLERANCES: ANGLES = ± .5° .XXX = ± .010

.X = ± .1
.XX = ± .03
X = ± 1/16

DO NOT SCALE DRAWING

DRAWN: M ZAFFUTO

DATE: 04/18/05

SCALE: NONE

DWG. TITLE:

FINAL ASSEMBLY

BOAT MODEL

320CD

MOLD NO.

INIT. REL. ECN NO:

040914

DWG. NO:

11201

SHT. NO.

8 OF 8