

GRADY-VHITE 2013







Thank you...

...for considering a new Grady-White boat for your family! We sincerely appreciate your interest. We hope this publication introduces both our products and the unique "Grady Life" experience. But a printed catalog only scratches the surface. We have so many other rich resources of information. Our popular website includes the latest specifications, performance reports, video galleries, virtual tours, customer tips, wonderful customer photo galleries, Grady-White Clubs information, dealer locators and much, much more. Opt in for the great resources found in our publications, *Anchorline* and *Docklines*, too! See and share the experience of owners and enthusiasts on our *Facebook* page and @GradyLife on *Twitter*. Download our iPhone app at iTunes. As always, the best resources for information are our tops-in-the-business Grady-White dealers and other Grady customers. We urge you to talk with them!

Together, the entire Grady-White team focuses on providing exceptional enjoyment and terrific value as part of our larger goal of delivering the ultimate boating experience. It's very satisfying work, creating great new products and refining our well-proven winners, knowing that Grady-White boats will bring many lifelong memories to our customers. We come to work excited to achieve what we are striving to accomplish, and leave very satisfied at the end of the week knowing we've met the mark. That is why we invest in exciting new products such as our show-stopping, unlike-any-other *Freedom 335* as well as the spacious *Freedom 285* dual consoles, and incrementally improve

every one of our 27 models from the 18-foot center console *Fisherman 180* to the exquisite 36-foot *Express 360* cabin boat and the downright awesome *Canyon 366* center console. There is an incredible variety of superbly engineered Grady-Whites. Without a doubt there is one that's absolutely a perfect match for you.

One of the most rewarding results of Grady-White's one-to-one, long-term relationship with dealers and customers is the advent and growth of our Grady-White Clubs. We love them and so will you! Some of our Clubs began spontaneously from dealer and owner interest, some blossomed from strong leadership, and all grew from offering individuals confidence to embark with a group on excursions and special events that are just pure fun! We are amazed by the number of creative opportunities our Clubs offer. Grady-White dealers strongly support the growth of existing Grady-White Clubs and creation of new ones. Learn about our Clubs in your area and follow their activities on our website. Joining a Grady-White Club makes a fantastic boating experience even better!

For model year 2013, we continue to emphasize our innovative *Freedom Series* – eight versatile dual console models that bring a new level of "freedom" to the range of activities you can enjoy on big water. Our *Freedom Series*, like all Grady-Whites, are great riding, saltwater tough, safe and sure, and filled with features that allow you to enjoy so many activities well. Rest assured, we have not forgotten our legendary saltwater fishing heritage. Every Grady-White is a superb fishing boat. If big water fishing or cruising is your passion, there is no better choice than a Grady-White. You'll be in the best riding boat on the water. In short, you'll be exceedingly happy with your new Grady-White!

Grady-White eagerly looks to the future. We know that for quality, safety, reliability, value and the ultimate in boating satisfaction, a Grady-White will always be in a class all its own. Visit your local dealer! Happy boating!

- Essie Smith, J. Eis Canoll

Chairman, CEO

Procident







The Grady Life connects family and friends and makes long-term memories like no other recreational activity.

The Grady Life experience offers you, your family and friends the ultimate in boat ownership. Grady-White boating is all about making memories. Whether your crew is very young or teenaged, young adult or a cross-generation of parents and grandparents, no activity can match the variety and meet the needs of different age groups than boating on a Grady-White. With boats this incomparably reliable and versatile, everyone can "do their own thing" yet be together. Swimming, diving, all kinds of fishing, exploring, raft-ups, lunch or dinner cruises, camp-outs, wakeboarding and water skiing or just "sunnin' and funnin"—these activities just scratch the surface of what Grady owners enjoy. No other outdoor recreation compares in diversity and fellowship with the Grady Life. You will feel confident and free to enjoy many adventures, and reap enormous rewards. Our great dealers make your experience as carefree as possible!

Grady customers enjoy higher satisfaction primarily because of the company and dealers' commitment to providing the ultimate boating experience. The values, principles and systems with which we've operated for over 50 years, and the resulting relationships, help assure decades-long owner loyalty.

Grady-White and Grady-White dealers aim for customer satisfaction that exceeds all expectation. Read or watch our customer testimonials online. Visit gradywhite.com often and view the Grady Life photos, or take a peek at our growing collection of fun and useful videos. Our customers love to share stories about their great Grady moments, and how well their boats perform! These reflections are not the only benchmarks of owner enjoyment. Every third-party

"We travel together to the Bahamas, do raft-ups, and gather for dining at restaurants. Right now we have three fishing tournaments including one for the ladies. We gather on sand bars, and enjoy picnicking and being together. Our Club is a very social and very rewarding experience."

—CAROLINE AND JIM FALLON
GULFSTREAM GRADY GROUP MEMBERS

measure ever conducted in our industry for our category has ranked Grady-White Boats at the highest levels.

There are many annual Grady-White dealer events including tournaments, cruises and fishing schools. The fabulous Grady Fest that took place for the third year in 2012 is a fantastic celebration of the boating lifestyle. Grady-White owners share camaraderie and much, much more throughout the year. There's a tremendous online resource center found at our website that includes interesting customer tips about destinations, travel, cooking aboard, fishing, and customizing and maintaining your boat. The employees and associates of our privately held company-often with relationships that span many decades—actively keep in touch with you to hear about your great Grady days, and delight in sharing stories about your good times on and



Explore www.gradywhite.com! Better yet, visit us and see the very best in boat building.

All the details are here on every model, and so is a sampling of the fun! We've created gradywhite.com not only for you to learn about our boats but also we've put in many features to help give visitors a taste of the "Grady Life." Quite simply, it's a lifestyle without comparison in boating!



gradywhite.com • Grady Life photos • specifications • videos • performance reports • virtual tours • clubs • dealers • publications • much more!

You are invited to tour our factory and meet our team of craftsmen! There is no substitute for a visit to our factory. You will see one of the most up-to-date boat factories of its kind in the world, meet our craftsmen face to face, and learn much more about what makes a Grady-White and the Grady Life so special.

Visit our website to download driving directions to the factory. If you are flying, come to PGV in Greenville, NC. Call us ahead of time and we'll pick you up!



Grady-White: Historic highlights of a customer- and quality-focused company

1959

Glen Grady, Don White begin building small, tough, high quality wooden "works of art" for coastal boating that perform even in rough seas.

1968

Eddie Smith purchases Grady-White and completes the changeover to fiberglass production.

1972

Ground breaks for what remains today one of the most modern boat manufacturing facilities in the world.

1975

Grady-White introduces the *Hatteras 204-C Overnighter*, the company's first walkaround model.



Grady-Built: The finest materials for built-in value and security

A Grady-White is no ordinary craft. Our 316 grade stainless steel hardware is superior to 304 grade because of the nickel and chromium in the alloy, plus molybdenum. Cast parts are passivated in acid to remove casting impurities, then buffed,



Our patented fold away aft bench seat is a result of our process of seeking customer advice on the kinds of material and detail that work best. Hardware and fixtures are placed right where you need them.

then passivated and buffed again. We test sample batches in our "instant ocean" salt bath. The result is hardware that's strong and durable even after years in a saltwater environment.

Whether we utilize a traditional glass laminate or a new composite or core material depends on the application.

No matter which material we select, Grady-White's extensive in-house and on-the-water tests ensure long lasting value.

Cabins are handsome, with eye-pleasing fabrics. We test all appliances including microwaves, refrigerators, satellite radios, TVs, MP3 stereo output devices and DVD players.

Fixtures are the best available.

Resin transfer molded (RTM) parts such as fish box lids, hardtops and bow pulpits are solid and durable. RTM is especially preferable for fish box lids because the smooth underside surface is easier to clean than the rough glass painted surfaces found on competitors' products.



The helm area is ergonomically designed and comfortable for ease of function and safety. The horn is the red button so you can find it quickly. The windshield is engineered to enhance your field of vision and sight lines. Always safety first on a Grady-White!

Gunwale mounted rod holders are impervious to UV rays, and extra durable. Rod racks are sturdy and easily accessible. Super strong, durable polyethylene trim work and toe rails are tough, low maintenance and their good looks last. Grab rails, handholds, handles, swim ladders and transom door latches are battleship-tough as are cleats and bow and stern eyes. Stainless steel drink holders are easy to clean. Durable materials give years of trouble-free use and that means a lower cost of ownership.

1982

Grady-White's *Sailfish 25* ushers in the era of smaller outboard-powered offshore sportfishing boats.

1989

The *Marlin 28* introduces the SeaV^{2®} hull, designed by C. Raymond Hunt Associates, delivering a soft, dry, true-tracking ride plus stability at lower speed.

1993

Kris Carroll, a Grady-White veteran, is named as Grady-White's new president.

2001

In the first J.D. Power and Associates study of the marine industry, Grady-White ranks "Highest in Customer Satisfaction with Center Console Boats."

Customers tell us they like different seating choices, and no other brand offers as many options as Grady-White. Whether you opt for available flip-up bolsters (pictured at left), Deluxe seating (see options pages) or choose our standard seating, everyone will be very comfortable aboard your new Grady-White!



Grady-Built: Built by craftsmen and superbly engineered through customer input

The people who design and engineer Grady-Whites are avid boaters themselves. Through ongoing contact with our boat owners, we create customer-driven designs that are constantly refined and thoroughly tested along the North Carolina coast to ensure superb performance in the toughest conditions.



Our latest plant expansion further improved the most productive, efficient and completely integrated boat building facility in the world today. This functionality assures the highest product quality and longest lasting value for our customers.

Our production professionals are real craftsmen. Hand laid fiberglass provides an unmatched laminate structure. Only 100% hand lay-up assures a uniform thickness for strength and structural stiffness. Grady-White uses this tried and true method, fitting patterned pieces of fiberglass to deliver consistent laminate thickness on every boat. The resin for every part is metered and measured so each has an optimal glass-to-resin ratio. Stringer systems are precision cut by computerized router and then glassed in while the hull is still in the mold so your SeaV^{2®} hull retains the correct shape. Our proven stringer grid system is consistently strong, light, phenomenally durable, and has a limited lifetime warranty. Closed cell foam sprayed in between the stringers adds strength and augments flotation.

Super strong transoms are not only solidly Grady-Built of the strongest materials, but also reinforced with an angled aluminum brace to provide sure support for today's four-stroke engines. This bracing supports the top motor hole mounts, distributing torque throughout the transom.

At the helm threshold of our cabin models, decks are joined to liners with double through bolting. Aft of the seat boxes, another through-bolted and fiberglassed system forms a "box grid" to secure the deck and liner together, giving Grady-Whites support not found in other boats.

All these factors add up to many years of enjoyment!



Skilled craftsmen apply hand laid fiberglass with precisely the right thickness and resin ratios. Top quality components assembled with skill result in quality, reliability and performance over the long haul.

2002

Express 330 named Boating Magazine "Boat of the Year."

Grady-White ranks "Highest in Customer Satisfaction

With Coastal Fishing Boats Two Years In a Row."

2003

Plant expansion provides customers with even greater quality and value. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Three Years In A Row."

2005

Express 360 introduced, setting new benchmark for boating. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Four Times in a Row."

2007

Express 305 introduced. Canyon 336 debuts, incorporates cabin comfort in a center console. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-28 feet) Six Times in a Row."



Look carefully at a Grady-White running. You can actually see three wakes coming off the hull. This is a reflection of the smooth, dry trademark Grady-White Sea V^{20} ride.


Grady-Built: Our exclusive SeaV^{2®} hull design is the ultimate in offshore performance.



There is no ride like Grady-White's.

Often imitated but never equaled, our exclusive SeaV^{2®} hull offers the industry's best combination of dryness, seakeeping performance and speed. Grady-White factory rigs four-stroke engines exclusively so the SeaV² hull and fuel tank position

are especially well balanced for optimum performance of these new power sources. Unlike other brands, a SeaV² hull design has no two places on the keel where the deadrise is the same. The vee continuously sharpens from the



Like a series of sea-cutting wedges

transom to the bow stem. A SeaV² hull design with 20 degrees of deadrise at the transom will have around 30 degrees amidships—more than even the most radical older deep vee designs. The deeper vee forward means a softer ride at sea. Less vee at the transom coupled with wide chines provide stability at rest and when trolling.

A SeaV² hull tracks as if the boat is on rails. The series of wedges that form a SeaV² hull have tremendous righting force providing incredible tracking in quartering seas and especially in following seas. There are no rounded shapes to behave like a ball in the water that has no upright position.



Strakes and chines knock down spray

Strakes and chines knock the spray down cold. Check the spray coming off a SeaV² hull. You can actually see three bow wakes in smooth water. Those are the individual deflectors working. This is the reason SeaV² hulls are drier running than boats with rounded sections that blow spray past the strakes and chines and into the cockpit.

Grady-White delivers a deep vee ride with modified vee efficiency. Unlike other deep vee hulls, SeaV² hulls provide a soft ride without fuel efficiency loss. A SeaV² hull slices through seas effortlessly with a sharp point of entry, and the varying deadrise builds buoyancy that lifts the boat as it proceeds through waves. The result: better performance.



2009

Grady-White celebrates 50th anniversary.

Ranks "Highest in Customer Satisfaction With Coastal
Fishing Boats (17-30 feet) Eight Times in a Row."

2010

Fisherman 230 and Canyon 366 debut; center consoles 28'-36' become Canyon Series. 2010 NMMA CSI (9th in a row) continues unbroken string of every industry award for customer satisfaction.

2011-2012

Freedom Series featuring the new 28-foot Freedom 285 gives customers the industry's largest selection of fish-and-cruise dual consoles. Grady center consoles 18'-25' now comprise Fisherman Series.

2013

Grady-White's stunning 33' *Freedom 335* is the next generation dual console, a roomy, elegant cruiser and stylish big water fishboat that's a leap ahead of the industry in boating versatility with many never-before-seen features.

Fisherman 180

18' Center Console



Bow fish box




Cushioned aft seat



Forward console seating; bow anchor locker





Beam Amidships: 7'5" (2.26 m)

Bridge Clearance: 5'7" (1.70 m)

Center Line Length: 17'10" (5.44 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 150 (112 kW)

Weight w/o Engine: 2150 lb. (975 kg)

19' Dual Console

"I fell in love with Gradys at an early age. I am military and now live close enough to the water to spend family time on our 192. Thanks for posting pictures of my boy and little girl on your website!" — Nathanael Karrs, Caledonia, MS





Aft seating showing battery access



Helm station with flush mount electronics area



Cockpit forward with optional port sleeper



Portside swim platform with ladder


Beam Amidships: 8' (2.44 m) Bridge Clearance: 4'9" (1.45 m)

Center Line Length: 19'2" (5.84 m)

Hull Draft: 14" (.36 m)

Maximum HP: 150 (112 kW)

Weight w/o Engine: 2475 lb. (1123 kg)



"I absolutely love my boat. It's versatile, great for fishing out on the open water of the Georgian Bay here in Ontario and great for pike fishing in shallow water, too. Great for the family—we pack a picnic, go tubing out on the lake, then anchor and take a swim and relax." —John Welsh, Pointe au Baril, Ontario

Freedom 205 20' Dual Console



Forward seating with insulated box




Lockable enclosed head area with storage nets and optional portable head



Cockpit forward with optional port sleeper seat





Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 5'7" (1.70 m) Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2810 lb. (1275 kg)

Adventure 208

20' Walkaround Cabin

"My 208 is a very secure platform with dry areas for the sonar gear and electronics I use in my dives. I like the cabin for camping, and the open deck has plenty of room. I have never had a problem with any of my four Gradys. My wife, sons and my dog love our boat!"—Paul Brown, San Diego, CA

Shown with optional features

ISO VAMAHA

GRADY-WHITE



Cockpit forward with optional cockpit bolsters



Cushioned aft seating

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 5'9" (1.75 m)


w/Hardtop: 8' (2.44 m)

Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2900 lb. (1315 kg)





Cabin interior shown without auxiliary berth cushions; optional portable head

Fisherman 209

20' Center Console



Forward port, starboard insulated boxes with cushions; optional forward bolsters



Helm with optional T-top and deluxe lean bar with flip-up bolster





Console head area/storage compartment with dome light; optional portable head

Anchor locker Two 88-qt. fish boxes Console forward seating w/removable cooler Lockable console w/head area, dome light and storage

82-gal. fuel capacity Pedestal chairs

58-sq. ft. cockpit

Fold down motor well bulkhead

Cushioned aft seats

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 6'4" (1.95 m)

w/T-top: 7'9" (2.36 m)

Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2600 lb. (1179 kg)

22' Dual Console

"I have all the confidence in the world in my boat, my dealer and Grady-White! We'll load the grandkids and take a ride to Blackbeard Island for a great day at the coast. My 225 has kept me safe in seven-foot waves and yet it's also great exploring the backwaters here in South Georgia." —Mike Fly, Southerland Bluff, GA





Cockpit with optional port sleeper seat and Deluxe II helm chair



Helm station with flush mount electronics area

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 5'6" (1.68 m)

Center Line Length: 22'2" (6.76 m)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine: 3450 lb. (1565 kg)

Anchor locker

Storage compartments

Bow seating area w/storage, insulated box

Lockable enclosed head area w/storage nets

Lockable tackle storage

Lockable console storage compartment

49-sq. ft. cockpit

96-gal. fuel capacity

Flush mount
electronics area

Fold away aft bench seat

175-qt. aft fish box

22-gal. storage or optional livewell



Lockable enclosed head area and portable head

Seafarer 226/228

22' Walkaround Cabin



Cabin access forward between helm and companion seats



Optional hardtop




Grady Drive aft cockpit with optional bolsters





Cabin interior shown with standard auxiliary berth cushions (sink not shown)



Beam Amidships: 8' (2.44 m)

Bridge Clearance: 6'2" (1.88 m)

w/Hardtop: 8'4" (2.54 m)

Center Line Length: 22'2" (6.76 m)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine:

226 (standard transom): 3385 lb. (1535 kg)

228 (Grady Drive transom): 3510 lb. (1592 kg)

Fisherman 230

"I can fly fish at the bow without snagging my line, and the deep cockpit is very safe. We like to cruise to restaurants with other couples, and there's plenty of seating." —Rodger and Betty Hess, New York City/Jupiter, FL

23' Center Console





Helm with flush mount electronics area



101-qt. (96 I) port and starboard forward insulated fish boxes with ob drain. Access to bow at deck level. Console forward seating with removable 72-qt. (68 I) cooler.

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'8" (1.88 m)

w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m)

Hull Draft: 20" (.51 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine: 4002 lb. (1815 kg)

Anchor locker

Access to bow at deck level

Two 101-qt. fish boxes

Console forward seating w/removable 72-qt. cooler

20-qt. lift out box

58-sq. ft. cockpit

120-gal. fuel capacity

Lockable console w/stand up head area and storage

Flush mount electronics area

Horizontal rod racks

Optional 35-gal. livewell



Stand up head area and storage with optional portable head

w/lure tray

"Our children enjoyed us taking their younger cousin on his first Grady excursion to see the bonfires and fireworks for July 4th! Our family of five loves cruising the south shores of Boston on our Gulfstream 232. This is our third Grady-White." — Paul Barry, Scituate, MA

Gulfstream 232

23' Walkaround Cabin



Head area in lockable cabin, with fold down cover; optional electric marine head shown




Helm area with optional Deluxe II helm and companion chairs





Cabin interior shown without optional auxiliary berth cushions



Beam Amidships: 9'3" (2.82 m)

Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Weight w/o Engine:

232S: 4538 lb. (2058 kg)

232D: 4605 lb. (2089 kg)

25' Dual Console

"The 255 is the ultimate in versatility. We've pulled back the Bimini top for cocktail cruises, and battened down the hatches chasing rockfish 60 miles through a snowstorm. This boat is fast, economical and very comfortable (with a surprisingly spacious head area). We are really enjoying our first Grady!" — Jimmy and Cindy Nash, Virginia Beach, VA





Deluxe bow seating with table (doubles as cockpit area table)



Lockable enclosed head with storage nets and portable head

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 5'7" (1.70 m)

w/Hardtop: 7'8" (2.34 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4459 lb. (2023 kg)


Anchor locker

80-qt. port bow storage area

165-qt. insulated box, storage area

Lockable enclosed head area w/bulk storage

Flush mount electronics area



60-sq. ft. cockpit

153-gal. fuel capacity

Helm seating w/optional electronically-operated seat; wet bar w/sink, storage & optional grill

Transom door

Integrated outboard mounting area w/swim platform & ladder



Optional electric grill

Fisherman 257

25' Center Console



Bow seating with insulated storage




Deluxe lean bar with rod holders, tackle trays and lockable storage





Lockable stand up console head enclosure with storage shelves and hanging locker; shown with optional portable head



64-sq. ft. cockpit

153-gal. fuel capacity

Deluxe lean bar

Fold away aft bench seat

Transom door

Integrated swim platform

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m)

w/Hardtop: 8'6" (2.59 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4300 lb. (1951 kg)

Journey 258

"My 258 is fantastic for tuna fishing in the Otranto Channel, where weather conditions can change quickly.

I have confidence in the safety and seaworthiness of my boat." —Federico Errico, Bari, Italy

25' Walkaround Cabin





Aft cockpit with insulated box, cockpit shower and folding aft bench seat



Cockpit forward showing transom door and integrated swim platform with ladder

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'6" (1.98 m)


w/Hardtop: 8'8" (2.64 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4320 lb. (1960 kg)





Cabin interior shown with auxiliary berth cushions

"My Grady-White 271 is the only center console I've owned or been aboard that doesn't 'porpoise' and pound. Even with my temperamental back, the 271 rides comfortably in almost any sea I've encountered from Newport to Block Island and around home in Mystic, CT. It's a handsome boat, a great package and great quality!"

Canyon 271 27' Center Console

—Anthony "Skip" Torraco, Mystic, CT



Patented fold away aft bench seat



Lockable console with stand up head area, bulk storage and marine head with macerator, 10-gallon (37.9 l) holding tank and pump out



389-qt. (428 I) insulated box with removable divider, under bow cushioned lounge seat




Anchor locker w/rode storage

Wide walkway around bow at deck level

Bow cushioned lounge seating w/389-qt. insulated box

Lockable console w/stand-up head area, bulk storage and marine head



65-sq. ft. cockpit

202-gal. fuel capacity

Flush mount electronics area

Deluxe lean bar w/42-gal. livewell, rigging station, sink, tackle drawers

Fold away aft bench seat

198-qt. insulated fish box

Transom door

Beam Amidships: 9'6" (2.89 m)

Bridge Clearance: 6'11" (2.11 m)

w/T-top: 8'2" (2.49 m)

Center Line Length: 26'10" (8.18 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 600 (448 kW)

Weight w/o Engines: 5790 lb. (2,626 kg)

27' Dual Console

"I've been boating all my life, and the 275 is the greatest boat I've ever owned. The layout is absolutely perfect for someone who enjoys pleasure cruising, fishing and taking the kids tubing and skiing. The stability and responsiveness are amazing."—Melvin Cline, Chesapeake Beach, MD





Cockpit with optional port electric extendable lounge seating



Deluxe cushioned bow seating with table (doubles as cockpit area table)

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m)

w/Hardtop: 8'6" (2.59 m)

Center Line Length: 26'11" (8.20 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Weight w/o Engines: 4972 (2255 kg)

Anchor locker

88-qt. insulated box

Enclosed head w/extended storage area

Console and helm area storage

Optional deluxe cushioned companion seating w/electric extendable lounge

60-sq. ft. cockpit

200-gal. fuel capacity

Helm seating w/optional electronically-operated seat, sink, storage & wet bar

Fold away aft bench seat

185-qt. insulated box

Integrated swim ladder w/transom door access



Head area with extended storage, shown with optional electric marine head

"The 283 is my sixth Grady-White. I wanted a fast boat to reach the Keys but not something too big. The 283 is a perfect combination of a long range boat for the open water and one that my wife and I can take out every day for cruising. I looked at two other makes, but Grady had the best handling, level of quality and solid engineering." —Reese Kauffman, Sanibel, FL

Canyon 283 28' Center Console



Bow insulated fish boxes with removable optional casting platform insert




Helm console with electromechanically operated lockable electronics enclosure





Lockable console with sink, storage and fold down cover over marine head with macerator, 10-gallon (37.9 l) holding tank and pump out



69-sq. ft. cockpit

205-gal. fuel capacity

45-gal. livewell

Tackle locker w/trays

Fold away aft bench seat

265-qt. fish box w/removable partition and ob drain

Beam Amidships: 9'6" (2.90 m)

Bridge Clearance: 7'7" (2.31 m)

w/T-top: 9' (2.74 m)

Center Line Length: 28' (8.53 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW) w/V6 engines only

Weight w/o Engines: 5864 lb. (2660 kg)

28' Dual Console

"In a nutshell, the beauty of my Freedom 285 is that it serves equally as a superb fishing boat and a great family cruising boat, offering much more protection and family comfort than other styles. What's more, it handles water–even big, rough water–beautifully, like no other boat its size!"—Dave Cassaro, Orient Point, LI, NY





Helm area featuring extra-wide seat with flip-up bolster



Deluxe cushioned bow seating with optional cushioned sun platform insert

Beam Amidships: 9' 6" (2.89 m)

Bridge Clearance: 6' 4" (1.95 m)

w/Hardtop: 8' (2.44 m)

Center Line Length: 28' (8.53 m)

Hull Draft: 20" (.51 m)

Maximum HP: 600 (448 kW)

Weight w/o Engines: 5980 lb. (2713 kg)


Anchor locker

Lockable console head enclosure w/extended storage area

Cushioned companion seating w/electric extendable lounge

Fold away aft bench seat -

65-sq. ft. cockpit



218-gal. fuel capacity

Port & starboard insulated boxes

Console and helm area storage

Helm seating w/optional electronically-operated seat; wet bar w/sink, storage & optional grill

Integrated outboard mounting area w/swim platform & ladder



Port console head area with net storage; shown with optional marine head

"We've always wanted to cruise farther west to places like the Gulf Islands, and now with the 290 we can. Our girls love the cabin, and the first day we were out Melanie caught a 22-pound chinook salmonher biggest ever."—Dr. Kurt and Melanie Tsuyuki, Surrey, British Columbia

Chesapeake 290 29' Walkaround Cabin



Optional Deluxe III helm chair with flip-up bolster




Easy access for optional generator





Cabin interior with galley, cherry table, vee berth and teak and holly sole



Beam Amidships: 9'11" (3.02 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)

Center Line Length: 28'6" (8.69 m)

Length Overall (w/pulpit): 29'9" (9.07 m)

Hull Draft: 24" (0.6 m)

Maximum HP: 600 hp (448 kW)

Weight w/o Engines: 7650 lb. (3470 kg)

Marlin 300 30' Walkaround Cabin

"Our family has owned several Marlin 300 models, logging hundreds of happy hours. When my first son was born, we named him Grady!" — Keith Frantz, Hickman, CA





Cockpit forward showing helm area and seating



Aft double berth with storage nets

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)


Center Line Length: 30'6" (9.30 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 8221 lb. (3729 kg)



74-sq. ft. cockpit

300-gal. fuel capacity

Underseat storage

Rigging station w/drawers

Fold away aft bench seat

290-qt. fish box

Integrated swim platform w/ladder



Cabin interior featuring galley, cherry dinette table, teak and holly sole, vee berth and enclosed head



Express 305 30' Express Cabin

"My husband and I love fishing aboard our Express 305, Reel Mambo. We are able to chase those stripers and blues around the Long Island Sound with great ease and speed, and sleep comfortably aboard in the evening. Look for me out there-I am the lady with the pink fishing rod bending in the ocean! This is our second Grady, and just like our fish we want one bigger each season."

—Janet Franco, Chappaqua, NY





Lockable head enclosure with shower and bulk storage



Easy access for optional generator

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)

Center Line Length: 30'6" (9.30 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 8850 lb. (4014 kg)

Optional flat screen TV

Stereo w/MP3/auxiliary audio connections-satellite ready

Surround seating w/cherry dinette table

Galley area w/microwave, refrigerator, glass top stove, sink, Corian® cutting board

63-sq. ft. cockpit

290-gal. fuel capacity

Enclosed head

Helm area surround seating

32-gal. livewell

Cushioned aft seat w/footrest, atop cooler

304-qt. aft fish box



Cabin interior featuring galley, cherry dinette table and teak and holly sole



Canyon 306 30' Center Console

"We love to fish for king mackerel and the 306 is really a great offshore boat. But take the rods off, and it's really family ready, full of creature comforts. With the spacious console and comfortable seats and bow cushions, my wife and three-year-old enjoy great afternoon and evening picnics."—Brandon Mallard, Georgetown, SC





Anchor locker with windlass



Command seating helm area with two Deluxe II adjustable sliding chairs, rigging station with freshwater sink, pullout faucet and insulated livewell

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 7'3" (2.21 m)

w/T-top: 9'4" (2.84 m)

Center Line Length: 30'6" (9.30 m)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)


Weight w/o Engines: 6950 lb. (3152 kg)

Anchor locker

150-qt. port and starboard fish boxes

Lockable console with stand up head area, shower, sink and storage areas

Electromechanically operated electronics enclosure



75-sq. ft. cockpit

290-gallon fuel capacity

Command seating helm area w/rigging station and 47-gal. raw water livewell

Fold away aft bench seat

304-qt. fish box



Lockable console with sink, storage and fold down cover over marine head with macerator, 10-gallon (37.9 l) holding tank and pump out



30' Dual Console

"My brother, our sons and I had a double blue marlin day off the north side of St. Lucia aboard my 307. One was just over 300 pounds. This is a great boat for family day cruising as well as fishing. This is my third Grady, and I would never consider another make." — John Rittenhouse, London, England/Gros Islet, St. Lucia





Cockpit forward area with electric extendable lounge seating. The standard wet bar includes a sink and fiberglass storage bin under the Corian® top.



Deluxe cushioned bow seating with table (doubles as a cockpit area table)

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 6'11" (2.11 m)

w/Hardtop: 8'10" (2.69 m)

Center Line Length: 30'6" (9.30 m)

Hull Draft: 22" (0.56 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 7850 lb. (3561 kg)

Anchor locker

Bow cushioned seating area

Console head area w/fold down berth

Bulk storage area

Deluxe companion seating for two

Electric extendable port lounge seat

80-sq. ft. cockpit

206-gal. fuel capacity

Electronically adjustable helm bench seat for two

Fold away aft bench seat

251-qt. insulated aft box

Integrated swim ladder w/transom door access



Console stand up head with bulk storage; fold down head cover creates 5-foot berth



Express 330

"We were looking for a boat that would be perfect for completing America's Great Loop, and fell in love with the Express 330."—Chris Branch and Russ Otterbine, Boyne City, MI/Oldsmar, FL

33' Express Cabin





Starboard helm surround seating (middle cushion area folds down)



Port side tackle station and sink



Helm console with electromechanically operated lockable electronics enclosure



254-quart aft deck insulated fish box

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance w/Hardtop: 9'10" (3.00 m)

Center Line Length: 33'6" (10.21 m)

Length Overall (w/pulpit): 35'10" (10.92 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 10,840 lb. (4917 kg)

Anchor locker

Cabin vee berth

Entertainment center

Galley w/refrigerator and sink

Rigging station w/sink and storage

80-sq. ft. cockpit

350-gal. fuel capacity

Enclosed head w/sink and shower

45-gal. livewell

Fold away aft bench seat

· 254-qt. fish box w/ob drain




Head enclosure with extensible shower faucet



Cabin interior showing aft double berth









Cabin interior featuring galley with refrigerator and microwave and flat screen 19" LCD TV w/DVD player and audio visual inputs

33' Dual Console

"We LOVE the boat! Wonder about a boat built to do it all? The brawny 335 performs, rides and fishes better than any 'competitor,' no comparison. It's perfect for socializing, fishing and cruising. We're excited about our new Cape Lookout Grady Club and the raft-ups, fishing trips and get-togethers we'll enjoy! This is a design and engineering home run."

— Carl and Ann Severinghaus, Raleigh, NC





Starboard console head cabinetry, storage and sink area



Port console with sliding bunk extended

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance w/Hardtop: 9'8" (2.95 m)

Center Line Length: 33'6" (10.21 m)

Hull Draft: 26" (0.66 m)

Maximum HP: 700 (533 kW)

Weight w/o Engines: 11,900 lb. (5398 kg)

Anchor locker

Deluxe bow seating w/table

Port console cabin w/sliding bed, TV/entertainment system, closet, bulk storage

Electronically operated sliding cockpit bench seat

Extra large fold away aft bench seat

128-qt. cooler or optional 32-gallon livewell

83-sq. ft. cockpit

312-gal. fuel capacity

230-qt. insulated box w/cushion

Starboard console head area w/shower, sink, bulk storage

Flush mount electronics area for two 15" screens

Deluxe adjustable helm seating

166-qt. aft insulated aft box



Port console with sliding bunk, bench seat, mirror, closet and optional flatscreen with DVD



bar with sink, refrigerator, storage and optional grill

seat back converts to table

Canyon 336

"I've had five boats including large inboards, and the Canyon 336 is by far the best combination of hull, power and accommodations I have ever experienced. It's perfect whether I am scuba diving, or fishing with my friends, or just enjoying the day on the water with my wife and family. The anchoring system is superb." — Norm Chambers, Gloucester, MA

33' Center Console





Center helm lean bar with three deluxe sliding seats with flip-up bolsters and footrest; electromechanically operated lockable electronics enclosure



Bow casting area with optional removable platform insert and cushions



Console forward berth

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance: 8' (2.44 m)

w/T-top: 9'2" (2.79 m)

Center Line Length: 33'6" (10.21 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 9200 lb. (4173 kg)

Anchor locker

165-qt. port and _____starboard fish boxes

Console seating

Lockable console w/stand up head area, shower, sink, berth, rod storage and storage drawers

Helm with electromechanically operated electronics enclosure

80-sq. ft. cockpit

350-gal. fuel capacity

Deluxe lean bar w/three helm chairs, footrests and flip-up bolsters

Console tackle, storage and rigging area

Fold away aft bench seat

291-qt. fish box



Lockable console interior with stand up head, shower, sink, rod storage, bulk storage and electrical access



Express 360

"Our family of five spent a month in the Bahamas on our Express 360, and everyone was totally comfortable. We covered over 1500 miles at average cruising speeds of 25-31 mph."—Scott and Anja Brane, Clearwater, FL

36' Express Cabin





Starboard lounge seating includes innovative hideaway folding table, chart/storage area and deluxe cushioning.



Cockpit forward showing 96-sq. ft. cockpit, helm station with deluxe chair, and port and starboard lounge seating

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/Hardtop: 10'6" (3.20 m)

Center Line Length: 36'7" (11.15 m)

Length Overall (w/pulpit): 39'3" (11.96 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Freshwater Capacity: 65 gal. (246 l)

Weight w/o Engines: 14,919 lb. (6767 kg)


Forward vee berth w/storage

Freezer/ice maker and refrigerated drawers

Galley area w/microwave, electric stove, stainless sink, Corian® countertops

Dinette w/seating for four

Enclosed ventilated head w/shower




96-sq. ft. cockpit

370-gal. fuel capacity

55-qt. port side refrigerator/freezer cooler

Fold away aft bench seat

291-qt. aft deck refrigerator/freezer fish box



Aft berth includes 56" x 84" sleeping area with privacy curtain, teak foot well, cherry hanging locker with cedar lining, bulk storage and six rod holders.









Main cabin includes teak and holly sole, seating for four at cherry dinette table, variable accent lighting, 16,000 BTU air conditioning with zone cooling, expansive forward berth with storage and privacy curtain, and cherry enclosed storage areas.

Head area includes sink with Corian® counter surface, shower area with curtain, teak grate over shower drain, full length mirror, VacuFlush® head and lighted vanity mirror.

Canyon 366

"When cold winter weather grips much of the country, take comfort with the warm thought that I am fishing my Canyon 366 off the Marquesas Keys." — Mark Dobler, The Woodlands, TX

36' Center Console





Optional 1300 watt grill (replaces lean bar sink)



Console forward berth shown with electrically adjustable bolster (raised)

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/T-top: 9' (2.74 m)

Center Line Length: 36'7" (11.15 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Freshwater Capacity: 54 gal. (204.4 l)


Weight w/o Engines: 12,850 lb. (5829 kg)

Anchor locker w/push button power windlass

Two 263-qt. fish boxes

Lockable center cabin area w/head, stand-up shower, double berth, bulk storage, rod storage & entertainment center (60 sq. ft.)

164-qt. insulated box or optional additional 41-gal. livewell



85-sq. ft. cockpit

420-gal. fuel capacity

Deluxe helm area seating for three w/fold-up bolsters

Sink or optional grill location

41-gal. livewell

291-qt. aft fish box

Transom door



Console interior with VacuFlush® head, sink, refrigerator, berth with electrically adjustable bolster (lowered), and bulk storage. Shown with optional microwave.



Factory options add to more Grady Life fun!



▲ Hardtop front and side curtains for models 20' and up (330 shown). Drop curtain is available. Frame style and canvas vary per model.



▲ Ivory canvas option for 225 soft top arch, hardtops, T-tops (255, 275, 283, 285, 306, 307; standard on 290, 300, 305, 330, 335, 360, 366)

*Ink colors shown are approximate. See your dealer for actual color samples.

▲ Sea Glass (paint)

With more requests for colored hulls, and taking into account the individual

personalities of today's customers, Grady-White now offers three colors of hull paint and a very sharp-looking gelcoat color as factory options in addition to our classic

▲ Vista Blue (paint)





▲ Freedom Series hardtop (255, 275, 285, 307; standard on 335)

▲ Bow pulpit shown with anchor windlass option



▲ Walkaround series vista top and side curtains (208, 226/228, 232, 258)



▲ Harbor Blue (paint)

▲ Swim platform and ladder



▲ Fisherman series Bimini top (180, 209, 230)

Grady-White cream-colored hull.

▲ Sand (gelcoat)



307, 330, 335, 336; standard on 360, 366)



▲ Cabin rod racks (holds 4)



▲ Raw water livewell (209 lean bar option)



▲ Freedom series vista top and side curtains (192, 205, 208, 225, 255, 275, 307)

Individualize your new Grady-White to best suit the water activities that your family enjoys with quality factory options that complement your boating lifestyle. Not all options shown here. For more information on factory options available per model, ask your dealer or visit www.gradywhite.com.







▲ Deluxe I helm or companion chair



▲ Deluxe II helm or companion chair



▲ Deluxe III helm or companion chair with flip-up bolster



▲ Companion bench seat (300 shown)



▲ Companion bench seat (208, 226)



▲ Ski pylon (180, 192, 205, 225, 230, 255, 275, 285, 307, 335); placement varies



▲ Freedom Series wet bar with electronically-operated helm seat w/flip-up bolster, fire extinguisher holder, sink, storage drawer & trash compartment (255, 275, 285)



▲ Electric grill (255, 275, 285, 307); see product pages for additional grill option photos



▲ 366 motorized bow table. Manual bow and/or cockpit tables are available options (205, 225, 255, 257, 283, 306, 366; standard on 275, 285, 307, 335). Tables vary per model.



▲ Freedom series sleeper seat with storage (192, 205, 225, 255, 275; standard on 285)



▲ Optional deluxe lean bar w/backrest and flip-up bolster (209, 230; standard on 257)



▲ Bow casting platform insert with cushions (209, 230, 257, 283, 306, 336, 366); sun platform insert with cushions (205, 225, 255, 275, 285, 307, 335)



Fisherman 180

18' Center Console

Beam Amidships: 7'5" (2.26 m) Bridge Clearance: 5'7" (1.70 m)

Center Line Length: 17'10" (5.44 m)

Cockpit Area: 48 sq. ft. (4.5 m²)

Cockpit Depth: 22" (0.56 m) Hull Draft: 15" (0.38 m)

Maximum HP: 150 (112 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 60 gal. (227 l)

Transom Width: 7'2" (2.18 m) Weight w/o Engine: 2150 lb. (975 kg)

STANDARD FEATURES

Automatic bilge pump (1100 GPH)(4164 LPH) Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fire extinguisher holder Level flotation Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Casting platform (raised)

Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (2)

Factory engine pre-rigging

Fish box - 89-qt. (84.2 l) insulated fish box/storage area w/oh drain

Fuel capacity - 60-gallon (227 I) tank

International lighting Rod holders (4)

Rod storage racks - horizontal (4)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - bench seat w/reversible back Stern eyes - heavy-duty 316 stainless steel Storage - aft rigging compartments (2) Storage - forward anchor locker w/rode storage

Console

Accessory outlet - 12V Compass Drink holders - stainless steel (2) Ice box - 45-qt. (42.6 I) forward insulated ice box w/ob drain Rod storage holders - vertical (4) Seating - forward console seat

Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel Storage - lockable console storage Windshield - acrylic windshield w/handrail

OPTIONAL FEATURES

Battery select switch w/extra battery Bow lifting ring CE certification package Cockpit freshwater shower (recessed) - 10-gallon (37.9 l) Hydraulic trim tabs w/indicator & retractor Livewell - 11-gallon (41.6 l) insulated raw water livewell Seating - forward platform cushions Ski pylon Steering - hydraulic Steering - hydraulic tilt Swim platform w/ladder Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy) Bimini top w/boot



Freedom 192

19' Dual Console

Beam Amidship: 8' (2.44 m) Bridge Clearance: 4'9" (1.45 m)

Center Line Length: 19'2" (5.84 m) Cockpit Area: 37 sq. ft. (3.4 m²)

Cockpit Depth: 25" (.64 m)

Hull Draft: 14" (.36 m)

Maximum HP: 150 (112 kW)

Outboard Shaft Length: 25" (.64 m) Standard Fuel Capacity: 60 gal. (227 |)

Transom Width: 7'8" (2.34 m)

Weight w/o Engine: 2475 lb. (1123 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH) Bow rail - low profile 316 grade stainless steel Cockpit toe rails Companion grab rail Level flotation Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

Accessory outlet - 12V (2)

Factory engine pre-rigging

Cleats

Deck hardware - 316 grade stainless steel Drink holders - stainless steel (6)

Forward bolsters

Fuel capacity - 60-gallon (227.1 l) tank Ice box - 44-qt. (41.6 l) starboard bow insulated

ice box w/ob drain

Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (4)

Rod storage racks - horizontal (4)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs

Seating- port & starboard bow box cushions Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage Storage - lockable console storage compartment

Storage - lockable glove box

Storage - port bow seating storage compartment Windshield - walk-through tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Battery select switch w/extra battery Bow lifting ring CE certification package

Cockpit freshwater shower (recessed) Hvdraulic steering

Livewell - 13-gallon (50.2 l) insulated raw water livewell w/cushion

Painted hull

Seating - Deluxe I helm chair (starboard) Seating - Deluxe I helm & companion chairs Seating - port sleeper seat w/storage

Seating - starboard sleeper seat w/storage

Sirius satellite radio system

Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers -

bow (2) & helm (2) Washdown - pressurized raw water w/hose Water tank - 10-gallon (37.9 l) freshwater

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain Bow cover w/zipper Sleeper seat cover Tonneau cover Vista top w/boot Vista top front & side curtains



Freedom 205

20' Dual Console

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 5'7" (1.70 m) Center Line Length: 20'4" (6.20 m)

Cockpit Area: 47 sq. ft. (4.4 m²) Cockpit Depth: 25" (0.64 m)

Hull Draft: 15" (0.38 m) Maximum HP: 250 (187 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 82 gal. (310 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2810 lb. (1275 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails

Companion grab rail Fire extinguisher holder Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V Battery select switch w/extra battery

Cockpit lights - LED lighting Compass

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (8) Factory engine pre-rigging

Fish/ice box - 64-at. (60.6 l) aft deck insulated box w/ob drain

Fish/ice box - 83-qt. (78.5 I) starboard bow insulated

box w/ob drain

Fuel capacity - 82-gallon (310.41) tank Head - lockable console head area w/dome light, storage nets & teak and holly sole

International lighting Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs Seating - port & starboard bow box cushions Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Storage - lockable console compartment w/service light Storage - port bow seat compartment

Windshield - walk-through tempered glass windshield

OPTIONAL FEATURES

Bow lifting ring CE certification package Cockpit bolsters

Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Forward bolsters Head - portable

Hydraulic trim tabs w/indicator & retractor

Livewell - 16-gallon (60.6 l) insulated raw water livewell

Seating - Deluxe I helm chair

Seating - Deluxe I helm & companion chairs Seating - port sleeper seat w/storage drawer

Sirius satellite radio system

Ski pylon

Steering - hydraulic (required w/F200 & F250 engines)

Steering - hydraulic tilt

Stereo system w/MP3/auxiliary audio connections & flip-down storage - satellite ready; speakers -

bow (2) & helm (2) Sun platform insert w/cushion

Swim platform w/ladder Table (bow)

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain Bow cover w/zipper Drop curtain Sleeper seat cover Tonneau cover

Vista top w/front & side curtains



Adventure 208

20' Walkaround Cabin

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 5'9" (1.75 m)

w/Hardtop: 8' (2.44 m)

Center Line Length: 20'4" (6.20 m) Cockpit Area: 41 sq. ft. (3.8 m²)

Cockpit Depth: 25" (0.64 m) Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 82 gal. (310 l) Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2900 lb. (1315 kg)

STANDARD FEATURES

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation

Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Fold down motorwell bulkhead Nonskid fiberglass liner Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch w/extra battery Cockpit lights - LED lighting Compass Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (6) Factory engine pre-rigging Fish box - 103-qt. (97.5 l) port insulated fish box w/ob drain

Fish box - 106-qt. (100.3 I) starboard insulated fish box w/ob drain

Footrests (helm & companion) Fuel capacity - 82-gallon (310.4 l) tank International lighting Rod holders (4) Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - aft seats (2) Seating - helm & companion pedestal chairs

Seating - port & starboard fish box cushions Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft seat lift out boxes (2)

Storage - forward anchor locker w/rode storage Storage - lockable electronics box

Storage - lockable storage under helm chair

Storage - tackle drawers under companion chair (2) Storage nets

Windshield - tempered glass Windshield wiper (starboard)

Cahin

Berth - forward vee berth Forward hatch - low profile acrylic hatch w/screen Lighting - cabin dome light Lighting - reading light Lockable door w/screen & companionway hatch Rod storage holders (4) Storage - portable head compartment Storage - under berth compartments (3)

Windows - opening windows w/screens (2)

OPTIONAL FEATURES

Bow lifting ring Bow pulpit CE certification package Cockpit bolsters

Cockpit freshwater shower (recessed) - 10-gallon (37.9 l) Hardtop top-mounted rod holders (requires hardtop option) Hardtop w/radio box, spreader lights &

side mounted rod holders (4)

Head - portable Head - portable w/deck pump out

Hydraulic trim tabs w/indicator & retractor Livewell - 25-gallon (94.6 l) insulated

raw water livewell Painted hull

Seating - companion bench seat Seating - foredeck cushions Steering - hydraulic (required w/F200 & F250 engines)

Steering - hydraulic tilt Swim platform w/ladder

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in navv) Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/front & side curtains



Fisherman 209

20' Center Console

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 6'4" (1.95 m)

w/T-top: 7'9" (2.36 m)

Center Line Length: 20'4" (6.20 m)

Cockpit Area: 58 sq. ft. (5.4 m²)

Cockpit Depth: 25" (0.64 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 82 gal. (310 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2600 lb. (1179 kg)

STANDARD FEATURES

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Console grab rail

Fold down motorwell bulkhead Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Battery select switch w/extra battery Cleats

Cockpit lights - LED lighting Deck hardware - 316 grade stainless steel

through-bolted Drink holders - stainless steel (6) Factory engine pre-rigging Fish box - 88-qt. (83.28 I) port insulated fish box w/ob drain

Fish box - 88-qt. (83.28 l) starboard insulated fish box w/ob drain

Fuel capacity - 82-gallon (310.4 l) tank International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs Stern eves - heavy-duty 316 stainless steel

Storage - aft rigging compartments (2)

Storage - forward anchor locker w/rode storage

Accessory outlet - 12V (2) Compass

Drink holders - stainless steel (2)

Head-lockable compartment w/head area & dome light

Rod storage holders - vertical (6) Seating - removable cooler seat forward Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel

Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES

Bow lifting ring Casting platform insert w/cushion CE certification package Cockpit bolsters

Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Forward bolsters Head - portable

Head - portable w/deck pump-out Head - portable w/in-line macerator

High bow rail

Hydraulic trim tabs w/indicator & retractor Livewell (lean bar option only) - 23-gallon (87.1 l) insulated raw water livewell w/cushion

Painted hull

Painted lean bar rod holders (requires lean bar option) Painted T-top frame (requires T-top option) Seating - Deluxe lean bar w/backrest, flip-up bolster,

fire extinguisher holder, footrest, tackle trays, lockable storage & rod holders (4)

Seating - port & starboard fish box cushions Sirius satellite radio system

Steering - hydraulic (required w/F200 & F250 engines)

Steering - hydraulic tilt

Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2), helm (2)

Swim platform w/ladder

T-top w/radio box, dome light, storage net, spreader light, rod holders (4) & radar flat Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Bimini top w/boot (ivory or navy) T-top front, side & wing curtains (ivory)



Freedom 225

22' Dual Console

Beam Amidships: 8' (2.44 m) Bridge Clearance: 5'6" (1.68 m) Center Line Length: 22'2" (6.76 m) Cockpit Area: 49 sq. ft. (4.6 m²) Cockpit Depth: 25" (0.64 m) Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 96 gal. (363 l)

Transom Width: 7'11" (2.41 m)

Weight w/o Engine: 3450 lb. (1565 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH) **Basic flotation** Bow rail - low profile 316 grade stainless steel Cockpit toe rails Companion grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch w/extra battery Cleats Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting Compass

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (12) Factory engine pre-rigging

Fish/ice box - 175-qt. (165.6 I) aft insulated box

w/ob drain

Fish/ice box - 52-qt. (49.2 I) starboard bow insulated box w/ob drain

Footrest (helm) Forward bolsters

Fuel capacity - 96-gallon (363.4 l) tank

Head - lockable console area w/dome light, portable

head, storage nets & teak and holly sole Hydraulic trim tabs w/indicator & retractor

International lighting Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I helm & companion chairs Seating - fold away aft bench seat w/cushion

Seating - port & starboard bow box cushions

Steering - hydraulic tilt Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel Storage - 22-gallon (83.31) insulated aft storage compartment

Storage - forward anchor locker w/rode storage Storage - forward bow seat compartment Storage - lockable console storage compartment w/service light

Storage - lockable console tackle drawers Storage - port bow seat compartment Swim platform - full transom width w/ladder Water tank - 10-gallon (37.9 l) freshwater Windshield - walk-through tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

CE certification package Cockpit bolsters Head - portable w/deck pump out Head - portable w/in-line macerator

Livewell - 22-gallon (83.3 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Painted hull

Bow lifting ring

Seating - Deluxe II horizontally and vertically adjustable helm chair

Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs Seating - port sleeper seat w/storage drawer

Sirius satellite radio system

Ski pylon Soft top arch

Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers -

bow (2) & helm (2) Sun platform insert w/cushion

Table (bow)

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Vista top drop curtain

(Available in ivory or navy) Bow cover w/zipper Sleeper seat cover Soft top front & side curtains (ivory only) Tonneau cover Vista top aft curtain

Vista top w/front & side curtains



Seafarer 226/228

22' Walkaround Cabin

Beam Amidships: 8' (2.44 m) Bridge Clearance: 6'2" (1.88 m) w/Hardtop: 8'4" (2.54 m)

Center Line Length: 22'2" (6.76 m) Cockpit Area: 49 sq. ft. (4.6 m²)

Cockpit Depth: 26" (0.66 m)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 125 gal. (473 l) Transom Width: 7'11" (2.41 m)

Weight w/o Engine:

226 (standard transom): **3385 lb.** (1535 kg) **228** (Grady Drive transom): **3510 lb.** (1592 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2200 GPH) (8328 LPH) Basic flotation Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Fold down motorwell bulkhead (226 only) Nonskid fiberglass liner Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Bait rigging area w/cutting board & drink holders (228 only) Battery select switch w/extra battery Cleats Cockpit freshwater shower (recessed) Cockpit lights - LED lighting Deck hardware - 316 grade stainless steel

through-bolted Drink holders - stainless steel (6)

Factory engine pre-rigging Fish box - 190-qt. (179.8 I) starboard insulated

fish box w/ob drain Fish box - 72-qt. (68.1 I) aft insulated fish box w/ob drain (228 only)

Fish box - divided port insulated fish box (80-qt. & 45-qt, sections w/ob drain) (75.7 | & 42.6 |)

Footrests (helm & companion) Fuel capacity - 125-gallon tank (473.2 I) Hydraulic trim tabs w/indicator & retractor International lighting

Rod holders (4) Rod storage holders - vertical (4) (228 only)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs Seating - port & starboard fish box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft lift out boxes

Storage - forward anchor locker w/rode storage Storage - lockable helm station radio box Storage - tackle drawers under helm & companion chairs

Storage nets

Swim platform - full transom width w/ladder (228 only)

Water tank - 10-gallon (37.9 I) freshwater Windshield - ventilated tempered glass windshield

Windshield wiper (starboard)

Cabin

Berth - forward vee berth

Forward hatch - low profile acrylic hatch w/screen

Lighting - dome light

Lockable door w/screen & companionway hatch

Rod storage holders (4)

Storage - cabinet

Storage - portable head compartment Storage - under berth compartments (3) Windows - opening windows w/screens (2)

OPTIONAL FEATURES

Bow lifting ring Bow pulpit CE certification package Cockpit bolsters

Hardtop top-mounted rod holders (requires hardtop option) Hardtop w/radio box, storage net, spreader lights &

side mounted rod holders (4)

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Livewell - 20-gallon (75.7 I) aft insulated raw water

livewell (228)

Livewell - 20-gallon (75.7 l) port insulated raw water livewell (226)

Painted hull

Seating - companion bench seat Seating - Deluxe I helm chair

Seating - Deluxe I helm & companion chairs Seating - foredeck cushions

Swim platform w/ladder (226 only) Washdown - pressurized raw water w/hose

Windshield wiper (port)

CANVAS OPTIONS

(Available in navy) Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/front & side curtains



Fisherman 230

23' Center Console

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 6'8" (1.88 m) w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m) Cockpit Area: 58 sq. ft. (17.68 m²)

Cockpit Depth: 25" (0.64 m) Hull Draft: 20" (0.51 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 120 gal. (454 l)

Transom Width: 8'4" (2.54 m)

Automatic bilge pump (1500 GPH) (5678 LPH)

Weight w/o Engine: 4002 lb. (1815 kg)

STANDARD FEATURES

Safety

Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2)

Stainless steel through-hull fittings

Cockpit & Deck


100% hand laid hull & deck Battery select switch w/extra battery Cleats - flush mount (pop up) Cockpit lights - LED lighting Cutting board Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (4) Factory engine pre-rigging Fish box - 101-qt. (96 l) port forward insulated fish box w/ob drain Fish box - 101-qt. (96 I) starboard forward insulated fish box w/ob drain

Flush mount electronics kit Fuel capacity - 120-gallon (454 I) tank Hydraulic trim tabs w/indicator & retractor International lighting Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - helm & companion pedestal chairs Stern eyes - heavy-duty 316 stainless steel Storage - 3-drawer lockable storage

Storage - 20-gt. (19 I) port aft lift out box with lure tray



Console

Accessory outlet - 12V (2) Compass

Drink holders - stainless steel (2)

Head - lockable console w/stand up head area & dome light

Seating - 72-qt. (68 l) removable cooler seat forward

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage nets

Windshield - scratch resistant acrylic windshield

OPTIONAL FEATURES

Anchor windlass Bow lifting ring

Casting platform insert w/cushion

CE certification package Cockpit bolsters

Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Cooler upgrade - forward console Forward bolsters

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Livewell - 35-gallon (132 l) insulated raw water aft livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders (requires lean bar option) Painted T-top frame (requires T-top option) Seating - deluxe lean bar w/backrest, flip-up bolster, knife & pliers holder (1), tackle travs.

lockable storage & rod holders (4) Seating - fold away aft bench seat w/cushion Seating - port and starboard fish box cushions

Sirius satellite radio system

Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers bow (2) & helm (2)

Swim platform w/ladder

T-top w/radio box, dome light, storage net, spreader light, rod holders (4), radar flat & outrigger plates

CANVAS OPTIONS

Bimini top w/boot (ivory or navy) T-top front, side & wing curtains (ivory)



Gulfstream 232

23' Walkaround Cabin

Beam Amidships: 9'3" (2.82 m) Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)

Cockpit Area: 56 sq. ft. (5.2 m²) Cockpit Depth: 27" (0.69 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Outboard Shaft Length: Single: 30" (0.76 m)

Dual: 25" (0.64 m) Standard Fuel Capacity: 150 gal. (568 l)

Transom Width: 8'10" (2.69 m)

Weight w/o Engine:

232S: 4538 lb. (2058 kg) 232D: 4605 lb. (2089 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH) **Basic flotation**

Bow rail - 316 grade stainless steel

Cockpit toe rails Companion grab rail Nonskid fiberglass liner Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Battery select switch(es) w/extra battery Cleats

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Compass Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (9) Factory engine pre-rigging

Fish box - 265-qt. (250.8 I) starboard insulated fish box w/ob drain

Fish box - 297-qt. (281.1 I) aft insulated fish box w/ob drain Flush mount electronics kit

Footrests - helm & companion (adjustable) Fuel capacity - 150-gallon (567.8 l) tank Hvdraulic trim tabs w/indicator & retractor

International lighting Livewell - 36-gallon (136.3 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - port livewell cushion

Seating - starboard fish box cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage

Storage - tackle drawers under companion seat (2)

Storage - tackle travs under helm chair (2)

Swim platform - full transom width w/ladder

Washdown - pressurized raw water w/hose

Water tank - 12-gallon (45.4 I) freshwater

Windshield - ventilated tempered glass windshield

Windshield wipers

Berths - 2 berths (upper & lower)

Forward hatch - low profile acrylic hatch w/screen

Galley - portside galley w/sink

lce box - insulated ice box w/ob drain

Lighting - dome light

Lockable door w/screen & companionway hatch

Rod storage holders (2)

Storage - aft compartment

Storage - portable head compartment

Storage - under berth compartment Storage - under sink compartment

Storage nets

Stove - butane

Windows - opening windows w/screens (2)

OPTIONAL FEATURES

Air conditioner - 3500 BTU in cabin

Anchor windlass (requires bow pulpit option)

Bow lifting ring Bow pulpit

CE certification package

Cockpit bolsters

Cushions - auxiliary berth cushions

Hardtop top-mounted rod holders (requires hardtop option) Hardtop w/radio box, storage net, spreader lights,

side mounted rod holders (4) & outrigger plates

Head - marine head w/electric flush & 10-gallon

(37.9 l) holding tank

Head - marine head w/macerator, 10-gallon (37.9 l)

holding tank & pump out

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)

Painted hull

Rod storage - folding cabin rack (4)

Seating - Deluxe II horizontally adjustable helm &

companion chairs Seating - foredeck cushions

Sirius satellite radio system

Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage satellite ready; speakers - cabin (2), cockpit (2) &

helm (2)

Storage - lockable electronics box

Windshield washer - freshwater (starboard)

CANVAS OPTIONS

(Available in navv) Hardtop drop curtain

Hardtop front & side curtains

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I helm & companion chairs Seating - fold away aft bench seat w/cushion

Seating - port & starboard bow box cushions

Steering - hydraulic tilt

Freedom 255

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 5'7" (1.70 m)

w/Hardtop: 7'8" (2.34 m)

Cockpit Area: 60 sq. ft. (5.6 m²)

Cockpit Depth: 27" (.69 m)

Maximum HP: 350 (261 kW)

Hull Draft: 20" (.51 m)

Outboard Shaft Length

Single: 30" (.76 m)

Dual: 25" (.64 m)

STANDARD FEATURES

2 automatic bilge pumps (2600 GPH)

Bow rail - low profile 316 grade stainless steel

Self-bailing cockpit w/cockpit drains (4)

Battery select switch(es) w/extra battery

Cockpit freshwater shower (recessed)

Deck hardware - 316 grade stainless steel

Fish/ice box - 165-qt. (156.1 I) starboard insulated

Head - lockable console w/dome light, bulk storage,

portable head & teak and holly sole

Integrated outboard mounting system w/swim

Hydraulic trim tabs w/indicator & retractor

Stainless steel through-hull fittings

Safety

Basic flotation

Cockpit toe rails

Cockpit & Deck

Cockpit bolsters

Companion grab rail

through-bolted

Factory engine pre-rigging

box w/ob drain

platform & ladder

Rod storage racks - horizontal (6)

International lighting

Rod holders (6)

Footrest - helm

Forward bolsters

Drink holders - stainless steel (9)

Fuel capacity - 153-gallon (579 I) tank

Cleats

Compass

Cutting board

Nonskid fiberglass liner

100% hand laid hull & deck

Cockpit lights - LED lighting

Accessory outlet - 12V (2)

Anchor windlass wiring

Center Line Length: 24'9" (7.55 m)

Standard Fuel Capacity: 153 gal. (579 l)

Weight w/o Engine: 4459 lb. (2023 kg)

Transom Width: 7'10" (2.39 m)

25' Dual Console

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - 80-qt. (75.7 l) port bow storage box

Storage - 104-gt. (98.4 l) port aft box

Storage - forward anchor locker w/rode storage Storage - starboard lockable storage area

Transom door - fiberglass

Water tank - 20-gallon (75.7 I) freshwater

Windshield - walk-through tempered glass windshield Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

CE certification package

Grill - 1300W w/power inverter (requires wet bar option) (replaces sink)

Hardtop top mounted rod holders (requires hardtop option) Hardtop w/spreader lights, storage net & outrigger plates Head - marine head w/electric flush, 10-gallon (37.91)

Head - marine head w/macerator, 10-gallon (37.9 I)

holding tank & pump out

Head - portable w/deck pump out

Head - portable w/in-line macerator

International AC electrical conversion - 220V (50Hz) Livewell - 26-gallon (98.41 I) aft insulated raw water livewell

w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (requires hardtop option)

Painted hardtop frame (requires hardtop option) Painted hardtop rod holders (requires rod holder option)

Seating - Deluxe II horizontally and vertically adjustable helm chair (starboard)

Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs

Seating - Deluxe III helm chair w/flip-up bolster (starboard)

Seating - sleeper seat w/storage drawer (port) Sirius satellite radio system

Ski pylon

Stereo w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - aft (2), bow (2) & helm or hardtop (2)

Sun platform insert w/cushion

Table (bow) (doubles as cockpit table) Washdown - pressurized raw water w/hose

Wet bar w/electronically-operated helm lounge seat, fire extinguisher holder, sink, storage drawer &

trash compartment

CANVAS OPTIONS

(Available in ivory or navy)

Aft curtain (hardtop or vista top)

Bow cover w/zipper

Drop curtain (hardtop or vista top) Hardtop front & side curtains

Sleeper seat cover

Tonneau cover

Vista top w/front & side curtains

Wet har cover



Fisherman 257

25' Center Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m) w/T-top: 8'6" (2.59 m)

Center Line Length: 24'9" (7.55 m)

Cockpit Area: 64 sq. ft. (5.9 m²)

Cockpit Depth: 27" (0.69 m)

Hull Draft: 20" (0.51 m) Maximum HP: 350 (261 kW)

Outboard Shaft Length:

Single: 30" (0.76 m) Dual: 25" (0.64 m)

Standard Fuel Capacity: 153 gal. (579 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4300 lb. (1951 kg)

STANDARD FEATURES

2 automatic bilge pumps (2600 GPH) (9842 LPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails

Console grab rail Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Battery select switch(es) w/extra battery

Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Compass

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders -stainless steel (3) Factory engine pre-rigging

Fish box - 120-qt. (113.6 l) forward divided port insulated fish box w/ob drain

Fish box - 120-gt. (113.6 l) forward starboard insulated fish box w/ob drain

Fish box - 185-gt. (175.1 I) aft insulated fish box w/ob drain

Forward bolsters

Fuel capacity - 153-gallon (579 I) tank Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder

International lighting

Livewell - 32-gallon (121.1 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - deluxe lean bar w/footrest, backrest,

flip-up bolster, knife & pliers holders, tackle travs.

lockable storage & rod holders (4)

Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions Stern eves - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage

Transom door - fiberglass Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)

Console ventilator Drink holders - stainless steel (2)

Head - lockable console w/stand up head area.

dome light, storage shelves & hanging locker Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - under footrest

Storage nets Windshield - scratch resistant acrylic windshield

w/handrail

OPTIONAL FEATURES

Anchor windlass w/bow roller Anchor windlass w/bow pulpit

Bow lifting ring

Bow pulpit (includes high profile bow rail)

Casting platform insert w/cushions

CE certification package

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders Painted T-top frame (requires T-top option)

Sirius satellite radio system Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers -

console forward (2) & helm (2) T-top w/radio box, radar flat, dome light, storage net, spreader light, rod holders (4) &

outrigger plates

CANVAS OPTIONS (Available in ivory)

Table (bow)

T-top front, side & wing curtains



Journey 258

25' Walkaround Cabin

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 6'6" (1.98 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 24'9" (7.55 m)

Cockpit Area: 55 sq. ft. (5.1 m²)

Cockpit Depth: 27" (0.69 m) Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Outboard Shaft Length:

Single: 30" (0.76 m) Dual: 25" (0.64 m)

Standard Fuel Capacity: 127 gal. (481 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4320 lb. (1960 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH)(9842 LPH) **Basic flotation** Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Battery select switch(es) w/extra battery

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Compass

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (6) Factory engine pre-rigging

Fish box - 158-qt. (149.5 I) starboard insulated fish box w/ob drain

Footrest - helm & companion (adjustable) Fuel capacity - 127-gallon (480.7 l) tank Hydraulic trim tabs w/indicator & retractor

Ice box - 40-gt. (37.9 I) aft insulated ice box w/ob drain Integrated outboard mounting system

w/swim platform & ladder International lighting

Livewell - 34-gallon (128.7 I) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) Rod holders (6)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe I helm & companion chairs

Seating - fold away aft bench seat w/cushion Seating - port livewell cushion Seating - starboard fish box cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eves - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Storage - lockable electronics box

Storage - lockable storage under helm seat Storage - tackle drawer under companion seat Storage - transom mounted knife & pliers holder

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 10-gallon (37.9 I) freshwater Windshield - ventilated tempered glass windshield

Windshield wiper (starboard)

Cabin

Berth - forward vee berth

Carpet

Forward hatch - low profile acrylic hatch w/screen

Lighting - cabin dome light Lighting - reading light

Lockable door w/screen & companionway hatch

Rod storage holders (4)

Storage - portable head compartment Storage - under berth compartments (5)

Windows - opening windows w/screens (2)

OPTIONAL FEATURES

Air conditioner - 3500 BTU in cabin Anchor windlass (requires bow pulpit option) Auxiliary fuel capacity - 41-gallon (155.2 l) tank

Bow lifting ring Bow pulpit

CE certification package Cockpit bolsters

Hardtop top-mounted rod holders (requires hardtop option) Hardtop w/radio box, storage net, spreader lights, side mounted rod holders (4) & outrigger plates

Head - marine head w/macerator, 10-gallon (37.9 I) holding

tank & pump out

Head - portable Head - portable w/deck pump out Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (requires hardtop option)

Painted hull

Rod storage - folding cabin rack (4)

Seating - Deluxe II horizontally adjustable helm &

companion chairs Seating - foredeck cushions

Sirius satellite radio system Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage satellite ready; speakers - aft (2), cabin (2) & helm (2)

Windshield washer - freshwater (starboard) Windshield wiper (port)

CANVAS OPTIONS

(Available in navy) Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/front & side curtains



Canyon 271

27' Center Console

Beam Amidships: 9'6" (2.89 m) Bridge Clearance: 6'11" (2.11 m)

w/T-top: 8'2" (2.49 m)

Center Line Length: 26'10" (8.18 m)

Cockpit Area: 65 sq. ft. (6.04 m²) Cockpit Depth: 27" (0.69 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 600 (448 kW)

Outboard Shaft Length: 25" (.63 m)

Standard Fuel Capacity: 202 gal. (765 l)

Transom Width: 8'9" (2.67 m)

Weight w/o Engines: 5790 lb. (2626 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH)(9842 LPH)

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Anchor windlass

Battery select switch Cleats - flush mount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED cockpit lighting under gunwales & forward seating area

Companion grab rail Cutting board

Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (8)

Fish box - 198-qt. (218 I) aft insulated fish box w/ob drain

Fish box - 389-qt. (428 l) bow insulated fish box w/ob drain Forward holsters

Fuel capacity - 202-gallon (765 I) tank Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder International lighting Rod holders (6)

Rod storage - lockable horizontal storage for 6 rods Rubrail - high density PVC w/stainless steel insert Stern eyes - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 18-gallon (37.9 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (2) Factory engine pre-rigging Flush mount electronics area

Head - lockable console w/stand up head area, bulk storage & marine head w/macerator. 10-gallon (37.9 I) holding tank & pump out

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Window - tinted frameless acrylic Windshield - scratch resistant acrylic windshield w/handrail

Windshield washer Windshield wiper

Deluxe Lean Bar

Backrest Flip-up bolster Footrest

Knife, pliers & rig holders (2)

Livewell - 42-gallon (159 I) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station - freshwater sink w/pullout faucet & bait locker Rod holders (4)

Storage - lockable tackle drawer

Storage - lockable tackle locker w/tackle trays

Storage - port net storage area

OPTIONAL FEATURES

Bow thruster

CE certification package

Head - marine head w/electric flush

(10-gallon)(37.9 l) Lighting - underwater LED (2)

Livewell - 32-gallon (121 I) aft insulated raw water livewell w/light, full column distribution inlet &

ob drain (1100 GPH pump)(4164 LPH) Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders

Painted T-top frame (requires T-top option)

Sirius satellite radio system

Steering - power assist (standard w/TF300 pkg)

Stereo w/MP3/auxiliary audio connections/amplifier-satellite ready: speakers - console forward (2) & cockpit (2)

T-top (fiberglass) w/storage net, spreader lights, rod holders (4), radar flat & outrigger plates T-top speakers (2) (requires stereo & T-top options)

CANVAS OPTIONS

(Available in ivory) T-top front, side & wing curtains



Freedom 275

27' Dual Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m) w/Hardtop: 8'6" (2.59 m)

Center Line Length: 26'11" (8.20 m)

Cockpit Area: 60 sq. ft. (5.6 m²)

Cockpit Depth: 27" (0.69 m) Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Outboard Shaft Length: Single: 30" (0.76 m)

Dual: 25" (0.64 m) Standard Fuel Capacity: 200 gal. (757 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engines: 4972 lb. (2255 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass wiring

Battery select switch(s) w/extra battery Cleats - flush mount (pop up)

Cockpit bolsters Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting Companion grab rail

Compass Cutting board

Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (11)

Factory engine pre-rigging Fish/ice box - 185-qt. (175.1 I) aft insulated box

Fish/ice box - 88-qt. (83.3 I) starboard insulated box

w/oh drain Footrest - helm

Forward bolsters Fuel capacity - 200-gallon (757.1 l) tank

Head - lockable console w/bulk storage, portable head & teak and holly sole

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (4)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe I helm & companion chairs

Seating - fold away aft bench seat w/cushion Seating - port & starboard bow box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage satellite ready; speakers - aft (2), bow (2) & helm (2)

Stern eyes - heavy-duty 316 stainless steel Storage - 128-guart (121.1 I) aft insulated box

Storage - forward anchor locker w/rode storage

Storage - port bow box

Storage - starboard console storage drawer

Storage - starboard lockable storage w/service light

Table (bow) (doubles in cockpit area)

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 I) freshwater

Windshield - walk-through tempered glass windshield

Windshield washer - freshwater Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass w/bow roller Bow lifting ring

CE certification package

Grill - 1300W w/power inverter (requires wet bar option) (replaces sink)

Hardtop w/radio box, storage net, speakers (2 in lieu of helm), spreader lights & outrigger plates

Hardtop top-mounted rod holders

Head - marine head w/electric flush (10-gallon) (37.9 l) Head - marine head w/macerator, 10-gallon (37.9 l)

holding tank & pump out Head - portable w/deck pump out

Head - portable w/in-line macerator

International AC electrical conversion 220V (50Hz) Livewell - 32-gallon (121.1 I) aft insulated raw

water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial hardtop

mounted (requires hardtop option) Painted hardtop frame (requires hardtop option)

Painted hardtop rod holders (requires rod holder option)

Seating - Deluxe II horizontally and vertically adjustable helm chair (starboard)

Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs

Seating - Deluxe III helm chair w/flip-up bolster (starboard)

Seating - electric extendable port lounge seat

Seating - side mount cockpit bench seat (available port & starboard)

Sirius satellite radio system

Sun platform insert w/cushion

Wet bar w/electronically-operated helm seat w/flip-up bolster, fire extinguisher holder, sink, storage drawer & trash compartment

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain (hardtop or vista top) Bow cover w/zipper Drop curtain (hardtop or vista top) Hardtop front & side curtains Lounge seat cover

Tonneau cover

Vista top w/front & side curtains

Wet bar cover



Canyon 283

28' Center Console

Beam Amidships: 9'6" (2.90 m) Bridge Clearance: 7'7" (2.31 m)

w/T-top: 9' (2.74 m)

Center Line Length: 28' (8.53 m)

Cockpit Area: 69 sq. ft. (6.4 m²)

Cockpit Depth: 27" (0.69 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW)

w/V6 engines only

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 205 gal. (776 l)

Transom Width: 9' (2.74 m)

Weight w/o Engines: 5864 lb. (2660 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Console grab rail

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Anchor windlass wiring

Battery select switches w/extra battery

Cockpit bolsters

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (7) Factory engine pre-rigging

Fish box - 265-qt. (250.8 I) aft insulated fish box

w/ob drain & removable partition

Fish box - 135-qt. (127.8 l) port & starboard forward insulated fish boxes w/ob drain

Forward bolsters

Fuel capacity - 205-gallon (776 l) tank Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder International lighting

Rod holders (4)

Rod storage racks - lockable horizontal (6) (up to 9')(2.7 m)

Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions

Stern eyes - heavy-duty 316 stainless steel

Storage - aft deck lift out box (also fits in forward port fish box)

Storage - forward anchor locker w/rode storage

Transducer mounting flats Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (2)

Head - lockable console w/stand up head area. bulk storage & drawers, dome light, shower, sink, marine head w/macerator (10-gallon)

(37.9 I) & pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electromechanically operated electronics enclosure

Storage - under footrest

Windshield - tempered glass windshield Windshield washer - freshwater

Windshield wiper

Deluxe Lean Bar

Bait rigging locker Footrest

Knife, pliers & rig holders (2) Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain

(1100 GPH pump) (4164 LPH) Rod holders (4)

Sink w/pullout freshwater faucet

Storage - lockable tackle drawer

Storage - lockable tackle locker w/tackle trays

Storage - port net storage

OPTIONAL FEATURES

Anchor windlass w/bow pulpit Anchor windlass w/bow roller

Bow lifting ring

Bow pulpit (includes high profile bow rail)

Casting platform insert w/cushions

CE certification package Convenience package - battery charger & dockside power Head - marine head w/electric flush (10-gallon) (37.9 I)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders

Painted T-top frame (requires T-top option)

Sirius satellite radio system

Steering - power assist (standard w/TF300 package) Stereo system w/MP3/auxiliary audio connections/amplifier

& fold down storage - satellite ready; speakers console forward (2) & helm (2)

T-top (fiberglass) w/radio box, dome light, storage net, spreader light, rod holders (4) & outrigger plates T-top speakers (2) (requires stereo and T-top options)

Table (bow)

CANVAS OPTIONS





Freedom 285

28' Dual Console

Beam Amidships: 9'6" (2.89 m) Bridge Clearance: 6'4" (1.95 m)

w/Hardtop: 8' (2.44 m)

Center Line Length: 28' (8.53 m) Cockpit Area: 65 sq. ft. (6.04 m²)

Cockpit Depth: 27" (.69 m)

Hull Draft: 20" (.51 m)

Maximum HP: 600 (448 kW)

Outboard Shaft Length: 25" (.64 m)

Standard Fuel Capacity: 218 gal. (825 l) Transom Width: 9' (2.74 m)

Weight w/o Engines: 5980 lb. (2713 kg)

STANDARD FEATURES

2 automatic bilge pumps (2600 GPH) (9842 LPH)

Basic flotation Bow rail - low profile 316 grade stainless steel

Cockpit toe rails

Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck

Accessory outlet - 12V (2)

Anchor windlass w/bow roller Battery select switches w/extra battery

Cleats - flush mount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting Companion grab rail

Compass

Cutting board Deck hardware - 316 grade stainless steel through-bolted

Drink holders (12)

Factory engine pre-rigging Fish/ice box - 185-qt. (175.1 I) aft insulated box w/ob drain Fish/ice box - 135-gt. (128 I) starboard forward insulated box

w/ob drain Footrest - helm

Forward bolsters Fuel capacity - 218-gallon (825.22 l) tank

Head - lockable console w/bulk storage, portable head & teak and holly sole

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (4)

Rod storage racks - horizontal (3) Rubrail - high density PVC w/stainless steel insert Seating - Deluxe I helm chair

Seating - electric extendable port lounge seat Seating - fold away aft bench seat w/cushion Seating - port & starboard bow box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/amplifier

& fold down storage - satellite ready; speakers - aft (2), bow (2) & helm (2)

Stern eyes - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Storage - port bow box

Storage - starboard console storage drawer Storage - starboard lockable console w/service light

Table (bow) (doubles in cockpit area)

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 I) freshwater

Windshield - walk-through tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

CE certification package

Grill - 1300W w/power inverter (requires wet bar option) (replaces sink)

Hardtop w/radio box, storage nets, speakers (2 in lieu of helm), spreader lights & outrigger plates

Hardtop top-mounted rod holders (requires hardtop option) Head - marine head w/electric flush, 10-gallon (37.9 I)

Head - marine head w/macerator.

10-gallon (37.9 I) holding tank & pump out Head - portable w/deck pump out

Head - portable w/in-line macerator

International AC electrical conversion 220V (50Hz) Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain

(1100 GPH pump) (4164 LPH) Outrigger kit - 15-foot (4.6 m) radial hardtop mounted

(requires hardtop option) Painted hardtop frame (requires hardtop option)

Painted hardtop rod holders (requires rod holder option)

Seating - Deluxe II horizontally and vertically adjustable helm chair (starboard)

Seating - Deluxe II horizontally and vertically adjustable

helm & companion chairs Seating - Deluxe III helm chair w/flip-up bolster (starboard) Seating - side mount cockpit bench seat

(available port & starboard) Sirius satellite radio system

Ski pylon

Steering - power assist (standard w/TF300 pkg) Sun platform insert w/cushion

Wet bar w/electronically operated helm seat w/flip-up bolster, sink, drink holders (2), fire extinguisher holder, storage drawer &

trash compartment

CANVAS OPTIONS (Available in ivory or navy) Bow cover w/zipper Hardtop aft curtain Hardtop drop curtain Hardtop front & side curtains Lounge seat cover

Tonneau cover

Wet bar cover

49



Chesapeake 290

29' Walkaround Cabin

Beam Amidships: 9'11" (3.02 m) Bridge Clearance w/Hardtop: 9'9" (2.97 m) Center Line Length: 28'6" (8.69 m) Cockpit Area: 56 sq. ft. (5.2 m²) Cockpit Depth: 28" (0.71 m)

Hull Draft: 24" (0.6 m)

Length Overall (w/bow roller): 29'9" (9.07m)

Maximum HP: 600 hp (448 kW) Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 206 gal. (780 l)

Transom Width: 9'1" (2.76 m)

Weight w/o Engines: 7650 lb. (3470 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring Battery charger system

Battery select switches w/extra battery

Cleats Cockpit bolsters

Cockpit lights - LED lighting

Cockpit shower - freshwater (recessed)

Compass Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (11) Factory engine pre-rigging

Fish box - 132-qt. (124.9 l) starboard insulated fish box w/ob drain

Fish box - 265-qt. (250.8 I) aft insulated fish box w/ob drain

Footrests - helm & companion (adjustable)

Fuel capacity - 206-gallon (779.8 l) tank

Hardtop w/radio box, storage nets, spreader lights, rod holders (4), outrigger plates & drop, front and side curtains (navy or ivory) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 35-gallon (132.5 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II horizontally adjustable helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - port livewell cushion Seating - starboard fish box cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft box

Storage - forward anchor locker w/rode storage Storage - lockable storage under helm seat

Storage - tackle drawers under companion seat (2)

Transducer mounting flats Transom door - fiberglass

Washdown - pressurized raw water w/hose Windshield - ventilated tempered glass windshield

Windshield washer - freshwater (starboard) Windshield wipers

Cabin

Accessory outlet - 12V Berth - aft double berth Berth - forward vee berth

Forward hatch - low profile acrylic hatch w/screen Galley - port side galley w/sink & Corian® countertop Head - enclosed head area w/sink, shower, lamp & marine

head w/macerator, 10-gallon (37.9 l) holding tank and pump out

Lighting - cabin (6)

Lighting - dome lights (6)

Lockable door w/screen & companionway hatch

Microwave oven Mirror

Refrigerator Storage - galley shelves

Storage nets Stove - electric glass top

Table - cherry

Teak and holly sole

Water heater - 6 gallon (22.7 I), 120V Water tank - 32-gallon (121.1 I) freshwater Windows - opening windows w/screens & curtains (2)

OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin Anchor windlass w/bow roller Bow thruster

CE Certification package

Cockpit shower w/hot water

Flatscreen 19" TV w/DVD player and audio visual inputs Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity

Hardtop top-mounted rod holders (5)

Head - marine head w/electric flush (10-gallon) (37.9 l) International AC electrical conversion - 220V 50Hz

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Painted hull

Seating - companion bench seat

Seating - Deluxe III helm chair w/flip-up bolster Seating - Deluxe III helm & companion chairs w/flip-up bolsters

Seating - side mount cockpit bench seat (available port & starboard)

Sirius satellite radio system

Steering - power assist (standard w/TF300 pkg) Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), helm (2) & hardtop (2)



Marlin 300

30' Walkaround Cabin

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)

Center Line Length: 30'6" (9.30 m) Cockpit Area: 74 sq. ft. (6.9 m²)

Cockpit Depth: 29" (0.74 m) Hull Draft: 23" (0.58 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 300 gal. (1136 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 8221 lb. (3729 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - 316 grade stainless steel Cockpit toe rails

Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass w/remote switches at helm & windlass

Batteries (4)

Battery charger system

Battery select switches w/extra battery

Bow pulpit w/roller Cleats

Cockpit bolsters Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Compass

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (9) Factory engine pre-rigging Fighting chair reinforcement

Fish box - 290-qt. (274.4 l) aft insulated fish box

w/oh drain

Flush mount electronics kit Footrests - helm & companion (adjustable) Freshwater level indicator

Fuel capacity - 300 gallons (150-gallon tank,

150-gallon tank) (1135 l)

Hardtop w/radio box, storage nets, spreader lights, rod holders (4), outrigger plates & drop, front and side curtains (ivory or navy)

Hvdraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder International lighting

Livewell - 32-gallon (121.1 I) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station behind helm chair w/freshwater sink. insulated bait box w/ob drain & lockable drawers Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - foredeck cushions

Seating - port livewell cushion

Seating - starboard tackle station cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft deck lift out box

Storage - forward anchor locker w/rode storage

Storage - lockable electronics box

Storage - lockable storage under helm & companion seats

Storage - under step compartment Transducer mounting flats Transom door - fiberglass

Washdown - freshwater Washdown - pressurized raw water w/hose (forward & aft)

Windshield - ventilated tempered glass windshield Windshield washer - freshwater (starboard)

Windshield wipers

Cabin Accessory outlet - 12V Berth - aft double berth Berth - forward vee berth

Forward hatch - low profile acrylic hatch

w/screen & shade

Galley - port side galley w/sink, light & Corian® cutting board Head - enclosed head area w/stainless steel sink,

shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out Lighting - dome lights (2)

Lighting - reading (3) Lockable door w/screen & companionway hatch

Microwave oven

Mirror Refrigerator Rod storage - aft berth

Rod storage racks (6)

Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage satellite ready; speakers - cabin (2),

cockpit (2) & helm (2) Storage - galley cabinet & counter Storage - under berth compartments

Storage nets Stove - electric glass top

Table - cherry Teak and holly sole Water heater - 6-gallon (22.7 I), 120V

Water tank - 32-gallon (121.1 I) freshwater Window - aft berth window w/screen Windows - tinted frameless acrylic w/curtains (2)

OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin

Bow thruster

Painted hull

CE certification package

Cockpit shower w/hot water Flatscreen 19" LCD TV w/DVD player & audio visual inputs Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity

Hardtop top-mounted rod holders (5)

International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)

Rod storage - folding cabin rack (4) Seating - companion bench seat

Seating - Deluxe III helm chair w/flip-up bolster Seating - Deluxe III helm & companion chairs

w/flip-up bolsters

Seating - side mount cockpit bench seat (available port & starboard)

Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)

Storage - lockable electronics box



Express 305

30' Express Cabin

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)

Center Line Length: 30'6" (9.30 m) Cockpit Area: 63 sq. ft. (5.9 m²)

Cockpit Depth: 28" (0.71 m)

Hull Draft: 23" (0.58 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 290 gal. (1098 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 8850 lb. (4014 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails

Companion grab rail

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

Anchor windlass w/remote switches at helm & windlass

Batteries (4)

Battery charger system

Battery select switches w/extra batteries

Bow pulpit w/roller

Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed) (2)

Cockpit lights - LED lighting

Compass

Cooler - 73-qt. (69.1 l) port insulated cooler w/ob drain

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (14)

Factory engine pre-rigging

Fighting chair reinforcement

Fish box - 304-qt. (287.7 I) aft insulated fish box

Footrests - helm & companion (adjustable)

Freshwater level indicator

Fuel capacity - 290 gallons (151-gallon tank, 139-gallon tank) (1098 I)

Hardtop w/flush mount radio box, storage nets, spreader lights, speakers (2), rod holders (6), outrigger plates & drop, front and side curtains (navv or ivorv)

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system

w/swim platform & ladder International lighting

Livewell - 32-gallon (121.1 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - companion bench seat

Seating - Deluxe II horizontally and vertically

adjustable helm chair

Seating - fold away aft bench seat w/cushion

Seating - port cooler cushion w/footrest

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eves - heavy-duty 316 stainless steel

Storage - electromechanically operated

electronics enclosure

Storage - forward anchor locker w/rode storage Storage - lockable storage under companion seat

Transducer mounting flats Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water w/hose (forward & aft)

Windshield - ventilated tempered glass windshield

Windshield washer - freshwater

Windshield wiper

Cabin

Accessory outlet - 12V

Berth - aft double berth Berth - forward vee herth

Forward hatch - low profile acrylic hatch

w/screen & shade

Galley - port side galley w/sink, Corian®

cutting board & light

Head - enclosed head area w/stainless steel sink.

shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out

Lighting - dome lights (4) Lighting - recessed (3)

Lighting - reading (2)

Lockable door w/screen & companionway hatch

Microwave oven Mirror

Refrigerator

Rod storage - aft berth

Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage satellite ready: speakers - cabin (2) & cockpit (2)

Storage - galley cabinet & counter

Storage - under berth compartments

Storage nets

Stove - electric glass top

Table - cherry

Teak and holly sole

Water heater - 6-gallon (22.7 I), 120V Water tank - 32-gallon (121.1 l) freshwater

OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin

Bow thruster

CE certification package Cockpit shower w/hot water

Flat screen 19" LCD TV w/DVD player & audio visual inputs

Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity Hardtop top-mounted rod holders (6)

International AC electrical conversion - 220V 50Hz Lighting - underwater LED (2)

Painted hull

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lav out) Seating - Deluxe III helm chair w/flip-up bolster Seating - side mount cockpit bench seat

(available port & starboard) Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)



Canyon 306

30' Center Console

Beam Amidships: 10'7" (3.23 m) Bridge Clearance: 7'3" (2.21 m)

w/T-top: 9'4" (2.84 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Area: 75 sq. ft. (7.0 m²) Cockpit Depth: 27" (0.69 m)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 290 gal. (1098 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 6950 lb. (3152 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation Bow rail - low profile 316 grade stainless steel

Cockpit toe rails

Console grab rail

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Anchor windlass w/remote switches at helm & windlass

Battery select switches w/extra battery

Cleats - flush mount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (7)

Factory engine pre-rigging Fish box - 150-qt. (142 l) port & starboard insulated fish boxes

w/ob drain Fish box - 304-qt. (287.7 I) aft insulated fish box w/ob drain

Forward holsters Fuel capacity - 290 gallons (150-gallon tank,

140-gallon tank) (1098 I) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (6)

Rod storage - lockable horizontal storage for 6 rods Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion

Seating - port & starboard fish box cushions Stern eyes - heavy-duty 316 stainless steel

Storage nets

Transducer mounting flats Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose Water tank - 32-gallon (121.1 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (2)

Head - lockable console w/stand up head area, dome light, shower, sink, bulk storage drawers & marine head w/macerator, 10-gallon (37.9 l) holding tank and pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest

Window - opening window w/screen Windshield - tempered glass windshield

Windshield washer - freshwater

Windshield wiper

Deluxe Lean Bar

Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full column distribution inlet &

ob drain (1100 GPH pump) (4164 LPH) Rigging station - freshwater sink w/pullout faucet &

insulated bait box Rod holders (2)

Seating - lean bar mounted Deluxe II horizontally and

vertically adjustable helm chairs (2)

Storage - lockable bulk storage

Storage - lockable tackle trays

OPTIONAL FEATURES

Bow thruster

Casting platform insert w/cushions

CE certification package Convenience package - battery charger & dockside power

w/galvanic isolator Head - marine head w/electric flush (10-gallon) (37.9 l)

Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option) Painted hull

Painted T-top frame (requires T-top option)

Seating - lean bar mounted Deluxe III helm chairs w/footrests & flip-up bolsters (2)

Sirius satellite radio system Steering - power assist (standard w/TF300 & TF350 pkgs) Stereo system w/MP3/auxiliary audio connections/amplifier

& fold down storage - satellite ready; speakers -

console forward (2) & lean bar (2) T-top (fiberglass) w/radio box, dome light, storage net, fore/aft spreader lights, rod holders (4) &

outrigger plates T-top speakers (2) (requires stereo & T-top options)

CANVAS OPTIONS

Table (bow)

(Available in ivory or navy)

T-top front, side & wing curtains

Freedom 307

30' Dual Console

Beam Amidships: 10'7" (3.23 m) Bridge Clearance: 6'11" (2.11 m) w/Hardtop: 8'10" (2.69 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Area: 80 sq. ft. (7.4 m²)

Cockpit Depth: 27" (0.69 m)

Hull Draft: 22" (0.56 m)
Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 206 gal. (780 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 7850 lb. (3561 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Fire extinguisher holder Nonskid fiberglass liner

Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (6)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass Battery select switches w/extra batteries Cleats - flush mount (pop up)

Cockpit bolsters
Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting Companion grab rail

Compass Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (17) Factory engine pre-rigging

Fish/ice box - 150-qt. (141.9 l) starboard insulated box w/ob drain

Fish/ice box - 251-qt. (237.5 l) aft insulated box w/ob drain Footrests - helm & companion

Forward bolsters

Fuel capacity - 206-gallon (780 I) tank

Head - lockable console w/stand up head area, sink, bulk storage & marine head w/macerator, 10-gallon (37.9 l) holding tank and pump out Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (4)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert Seating - electric extendable port lounge seat

Seating - electronically-adjustable helm bench seat

Seating - fold away aft bench seat w/cushion Seating - port & starboard bow box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel
Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage -

satellite ready; speakers - aft (2), bow (2) & helm (2) Stern eyes - heavy-duty 316 stainless steel

Storage - aft box

Storage - forward anchor locker w/rode storage

Storage - port bow box

Storage - starboard console storage drawer

Storage - starboard lockable storage area w/service light

Table - bow (doubles in cockpit area) Transom door - fiberglass

Washdown - freshwater
Washdown - pressurized raw water w/hose
Water tank - 32-gallon (121.1 l) freshwater
Wet bar w/sink, storage drawers, trash bin,
drink holders (2) & fire extinquisher holder

(integrated with electronically adjustable helm seat) Windshield - walk-through tempered glass windshield

Windshield washer - freshwater Windshield wiper (starboard)

OPTIONAL FEATURES

Air conditioning - 3500 BTU at helm

Bow thruster

CE certification package

Convenience package - battery charger & dockside power w/galvanic isolator

Grill - 1300W w/power inverter & refrigerator (package) Hardtop w/radio box, storage net, speakers

(2 in lieu of helm), spreader lights & outrigger plates Hardtop top-mounted rod holders (requires hardtop option)

Head - marine head w/electric flush (10-gallon) (37.9 l) International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)

Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted

(requires hardtop option)

Painted hardtop frame (requires hardtop option)

Painted hardtop mounted rod holders (requires rod holder option)

Painted hull

Seating - folding cockpit seat

Seating - side mount cockpit bench seat (available port & starboard)

Seating - sleeper seat (starboard) Sirius satellite radio system

Ski pylon

Steering - power assist (standard w/TF300 & TF350 pkgs)

Sun platform insert w/cushion



(Available in ivory or navy)
Aft curtain (hardtop or vista top)
Bow cover w/zipper
Drop curtain (hardtop or vista top)

Hardtop front & side curtains Lounge seat cover

Tonneau cover

Vista top w/front & side curtains

Wet bar cover



Express 330

33' Express Cabin

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance w/Hardtop: 9'10" (3 m)

Center Line Length: 33'6" (10.21 m)

Cockpit Area: 80 sq. ft. (7.4 m²)

Cockpit Depth: 29" (0.74 m) Hull Draft: 25" (0.64 m)

Length Overall (w/pulpit): 35'10" (10.92 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 350 gal. (1325 l)

Transom Width: 10'6" (3.20 m)

Weight w/o Engines: 10,840 lb. (4917 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails Companion grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass w/remote switches at helm & windlass

Batteries (4)

Battery charger system

Battery select switches w/extra batteries

Bow pulpit w/roller

Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Compass

Cooler - 56-qt. (53 l) port helm seat cooler

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (8) Factory engine pre-rigging Fighting chair reinforcement

Fish box - 254-qt. (240.4 l) aft insulated fish box

w/ob drain

Footrest - helm (adjustable)

Fuel capacity - 350 gallons (150-gallon tank, 200-gallon tank) (1325 l)

Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity Hardtop w/radio box, storage net, spreader lights, rod holders (6), outrigger plates, low profile acrylic hatch

& drop, front and side curtains (navy or ivory)

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 45-gallon (170.3 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station w/freshwater sink & pullout faucet Rod holders (4)

Rod storage racks - horizontal (4)

Rod storage racks - norizontal (4

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II horizontally and vertically

adjustable helm chair

Seating - fold away aft bench seat w/cushion Seating - helm area surround seat

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel Storage - aft deck lift out box

Storage - electromechanically operated

electronics enclosure

Storage - forward anchor locker w/rode storage Storage - under helm area surround seating

Storage nets

Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water w/hose

(forward & aft)

Windshield - ventilated tempered glass windshield

Windshield washer - freshwater

Windshield wiper

Cabin

Accessory outlet - 12V
Air conditioning - 12,000 BTU
Berth - aft double berth
Berth - forward vee berth

Flat screen 19" LCD TV w/DVD player & audio visual inputs

Forward hatch - low profile acrylic hatches w/retractable screen, shade & curtains (2)

Galley - port side galley w/sink, light & Corian® cutting board

Head - enclosed ventilated head area w/sink, shower, lamps, storage cabinet & VacuFlush® marine head w/10-gallon (37.9 l) holding tank and pump out

Lighting - dome lights (4) Lighting - reading

Lighting - recessed (2)
Lockable door w/screen & companionway hatch

Microwave oven

Refrigerator

Rod storage racks Stereo system w/MP3/auxiliary audio

connections/amplifier & fold down storage satellite ready; speakers - cabin (2), cockpit (2)

& helm (2)

Storage - cherry galley cabinets Storage - under berth compartments

Storage nets

Stove - electric glass top

Table - cherry

Teak and holly sole Water heater - 6-gallon (22.7 I), 120V Water tank - 44-gallon (166.6 l) freshwater

OPTIONAL FEATURES

Air conditioning - 12,000 BTU at helm Bow thruster

CE certification package Cockpit shower w/hot water

Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain

Hardtop enclosure - integrated painted aluminum frame w/safety glass windshield and side windows. storage net, recessed spreader lights, recessed stereo speakers, rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (ivory) International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (3)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out) Painted hull

Seating - Deluxe III helm chair w/flip-up bolster Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster

Seating - side mount cockpit bench seat (available port & starboard)

Sirius satellite radio system Steering - power assist

(standard w/TF300 & TF350 pkgs)

Freedom 335

33' Dual Console

Beam Amidships: 11'7" (3.53 m) Bridge Clearance: 9'8" (2.95 m)

Center Line Length: 33'6" (10.21 m)

Cockpit Area: 83 sq. ft. (7.7 m²) Cockpit Depth: 29" (0.74 m)

Hull Draft: 26" (0.66 m)

Maximum HP: 700 (533 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 312 gal. (1181 l)

Transom Width: 10'6" (3.20 m)

Weight w/o Engines: 11,900 lb. (5398 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH) Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rails Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (6)

Cockpit & Deck

Accessory outlet - 12V (4) Anchor windlass Batteries (4) Battery charger system Battery select switches w/extra battery Cleats - flush mount (pop up) Cockpit bolsters

Stainless steel through-hull fittings

Companion grab rail Compass

Cooler - 120-qt. (114 I) aft cooler

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders (20) Factory engine pre-rigging

Fish/ice box - 166-qt. (157 I) aft insulated box w/ob drain

Fish/ice box - 230-qt. (218 I) starboard bow insulated box

w/ob drain

Flush mount electronics area

Footrest - helm Forward bolsters

Fuel capacity - 312-gallon (1,181 l) tank

Hardtop w/storage net, spreader lights, down lights, hatches (2), outrigger plates & drop, front and

side curtains (ivory)

Hvdraulic trim tabs w/indicator & retractor Integrated outboard mounting system

w/swim platform & ladder International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - electronically adjustable sliding cockpit seat w/storage & fold down Corian®-topped wood-grain table

Seating - electronically adjustable helm seat Seating - fold away aft bench seat w/cushion

Seating - port & starboard bow cushions

Seating - wraparound companion bench seat

Steering - hydraulic tilt w/power assist

Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/amplifier &

fold down storage - satellite ready; speakers aft (2), bow (2), cabin console (2) & helm (2)

Storage - forward anchor locker w/rode storage Storage - port bow drawer

Storage - port box under wraparound companion bench seat Table (2) - Corian®-topped wood-grain stowable table

at bow & wraparound companion bench seat Transom door - fiberglass

Washdown - freshwater Washdown - pressurized raw water Water tank - 44-gallon (167 I) freshwater

Wet bar w/refrigerator, sink, storage drawers, trash bin, drink holders (2) & fire extinguisher holder

(integrated with electronically operated helm seat) Windshield - walk-through tempered glass windshield

Windshield wipers (port & starboard)

Console Interiors

Cherry and holly soles

Portside cabin console w/electronically operated sliding bunk, bench seat, closet, drawers, mirror, lighting, tinted screened window & bulk storage

Starboard console w/VacuFlush® head (10-gallon) (38 l), shower, sink, drawers, lighting & bulk storage

OPTIONAL FEATURES

Air conditioning - 16,000 BTU at helm Air conditioning - 8,000 BTU in portside cabin console w/additional outlet in starboard console

Bow thruster CE certification package

Cockpit side door

Flatscreen 19" LCD TV w/DVD player & audio visual inputs Freezer-refrigerator/freezer aft fish box w/digitally

controlled thermostat & ob drain

Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity

Grill - 1300W (requires generator or inverter option to power away from dock)

Hardtop leg mounted rod holders (6) International AC electrical conversion 220V

Lighting - underwater LED (3)

Livewell - 30-gallon (114 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) (replaces cooler)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted

Painted hardtop frame

Painted hardtop mounted rod holders

Painted hull Power inverter for grill

Seating - side mount cockpit bench seat

(available port & starboard)

Sirius satellite radio system

Ski pylon

Sun platform insert w/cushion

Water heater - 6-gallon (22.7 I)

(includes hot water cockpit shower)

CANVAS OPTIONS

(Available in ivory)

Bow cover w/zipper

Hardtop clear2sea™ canvas upgrade

Sureshade® retractable hardtop shade

with Sunbrella® canvas (tan)

Tonneau cover

Wet bar cover





Canyon 336

33' Center Console

Beam Amidships: 11'7" (3.53 m) Bridge Clearance: 8' (2.44 m)

w/T-top: 9'2" (2.79 m)

Center Line Length: 33'6" (10.21 m)

Cockpit Area: 80 sq. ft. (7.4 m²) Cockpit Depth: 29" (0.74 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 350 gal. (1325 l)

Transom Width: 10'6" (3.20 m)

Weight w/o Engines: 9200 lb. (4173 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 3000 GPH) (11356 LPH) **Basic flotation**

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Console grab rail (2)

Fire extinguisher holder Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Anchor windlass w/remote switches at helm & windlass

Battery charges

Battery select switches w/extra batteries

Cleats - flush mount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Cutting boards (2)

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (7)

Factory engine pre-rigging Fish box - 165-qt. (156.1 I) port & starboard insulated fish

Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain

Forward bolsters

boxes w/ob drain

Fuel capacity - 350 gallons (1325 l)

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Rod holders (6)

Rod storage racks- horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion

Seating - port & starboard fish box cushions Stern eyes - heavy-duty 316 stainless steel

Storage - aft transom drop in box Storage - forward anchor locker w/rode storage

Storage nets

Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose (2 outlets) Water tank - 44-gallon (166.6 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (3)

Head - lockable console w/stand up head area, dome light, shower, sink, bulk storage, drawers & VacuFlush® head, 10-gallon (37.9 l) holding tank and pump out

Rod storage - vertical lockable storage for 6 rods Seating - molded forward console seat w/cushion (3)

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/amplifier &

fold down storage - satellite ready; speakers -

console forward (2) & helm (2)

Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest Storage pockets (3)

Window - opening window w/screen Windshield - tempered glass windshield Windshield washer - freshwater

Windshield wiper

Deluxe Lean Bar

Knife & pliers holders (2)

Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain

(1100 GPH pump) (4164 LPH)

Rigging station - lean bar station w/freshwater washdown & 104-qt. (98.4 l) cooler

Rod holders (6)

Seating - lean bar mounted Deluxe III helm chairs w/footrest &

flip-up bolsters (3)

Storage - lockable bulk storage

Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning - 6,000 BTU in console w/2 outlets at helm

Casting platform insert w/cushions

CE certification package

Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain

Generator - 4kW diesel, 12-gal. (45.4 l) fuel capacity International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (3)

Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders



Sirius satellite radio system Steering - power assist (standard w/TF300 & TF350 pkgs) T-top (fiberglass) w/radio box, antenna flats, dome light, storage net, fore/aft spreader lights, rod holders (5),

outrigger plates & stereo speakers (2) Table (bow)

Water heater - 6 gal. (22.7 I)

(includes hot water cockpit shower)

CANVAS OPTIONS

(Available in ivory or navy) T-top front, side & wing curtains



36' Express Cabin

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/Hardtop: 10'6" (3.20 m)

Cockpit Area: 96 sq. ft. (8.9 m²)

Cockpit Depth: 28" (0.71 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Outboard Shaft Length:

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)

Bow rail - 316 grade stainless steel

Stainless steel through-hull fittings

Accessory outlet - 110V outlet

Air conditioning - 16,000 BTU at helm

Anchor windlass w/chain & rode w/remote switches

at helm & windlass

Battery select switches w/extra batteries

Bow thruster Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed) (hot & cold)

Compass w/light

w/digitally controlled thermostat & ob drain

Deck hardware - 316 grade stainless steel through-bolted

w/shore power cords (2) Dockside water inlet

Center Line Length: 36'7" (11.15 m)

Length Overall (w/pulpit): 39'3" (11.96 m)

Port & Starboard Engines: 25" (0.64 m)

Center Engine: 30" (0.76 m)

Standard Fuel Capacity: 370 gal. (1401 l)

Transom Width: 11'4" (3.45 m)

Weight w/o Engines: 14,919 lb. (6767 kg)

Basic flotation

Cockpit toe rails

Companion hand rails

Fire extinguisher holder

Nonskid fiberglass surfaces

Self-bailing cockpit w/cockpit drains (6)

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

Batteries (5)

Battery charger system (2)

Bow pulpit w/roller

Cockpit lights - LED lighting

Cooler - 55-qt. (52.0 I) port side refrigerator/freezer cooler

Dockside power w/galvanic isolator & 30 amp service outlets

Drink holders - stainless steel (10) Factory engine pre-rigging Fighting chair reinforcement area

Fish box - 291-qt. (275.4 I) aft refrigerator/freezer fish box w/digitally controlled thermostat &

Footrest - helm

Fuel capacity - 370 gallons (190-gallon tank, 180-gallon tank) (1401 l)

Generator - 8 kW diesel, 23-gallon (87.1 l)

fuel capacity Hardtop w/storage net, recessed spreader lights, recessed stereo speakers, rod holders (6 horizontal, 6 vertical), outrigger plates, low profile acrylic hatches (2) & drop, front and

side curtains (navy or ivory) Hydraulic trim tabs (recessed) w/indicator & retractor Integrated outboard mounting system w/swim platform & stainless steel telescoping ladder

International lighting Livewell - 48-gallon (181.7 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain

(1100 GPH pump) (4164 LPH) Rigging station w/freshwater sink, pullout faucet, insulated bait box, knife/pliers/bait rigs holder &

lockable drawers (4)

Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster Seating - fold away aft bench seat w/cushion

Seating - port lounge seat w/enclosed storage below Seating - starboard lounge seat w/convertible

configurations & hideaway folding table Steering - hydraulic tilt w/power assist

Steering wheel - 15-in. (38.1 cm) 316 grade stainless steel

Stern eves - heavy-duty 316 stainless steel Storage - chart storage at helm

Storage - drawers under starboard seat (2) Storage - electromechanically operated

electronics enclosure Storage - removable transom storage bin

Storage - under helm footrest Storage net

Transom door - fiberglass Washdown - freshwater Washdown - pressurized raw water w/hose

(forward & aft) Windshield - heavy duty welded aluminum windshield w/tempered glass &

electromechanically operated center vent Windshield washers - freshwater (3) Windshield wipers - self parking w/heavy-duty pantograph arms w/separate controls (3)



Cabin

Accessory outlet - 110V duplex outlet (3) Accessory outlet - 12V

Air conditioning - 16,000 BTU Berth - aft double berth w/mattress

Berth - convertible dinette area Berth - forward vee berth w/mattress

Cable TV inlet

Cherry cedar-lined pullout hanging closet

Cherry dinette table w/adjustable stainless steel base (seats 4)

Corian® shelf w/drink holders behind dinette

Flatscreen 19" LCD TV w/DVD player & audio visual inputs Forward hatch - low profile acrylic hatches w/retractable

screen shade (2)

Freezer drawer w/ice maker

Galley - portside galley w/sinks (2), rail light & Corian® counter top & cutting board

Head - enclosed ventilated head area w/sink.

Corian® counter top, shower, lamps, mirror, storage cabinet, cherry shelves (2) & VacuFlush® marine head w/18-gallon (68 I) holding tank

Illuminated etched glass in bulkhead

Lighting - dome light

Lighting - reading light Lighting - recessed (2)

Lighting - skylight

Lighting - step lights (2)

Lockable sliding door w/separate screen door

Microwave oven - 120V (60Hz)

Mirror

Refrigerator

Rod storage racks - aft berth (6)

Seating - premium vinyl surface dinette surround cushions

Sirius satellite service

Stereo system w/MP3/auxiliary audio

connections/amplifier & flip-down storage;

speakers - cabin (2), cockpit (2) & helm (2)

Storage - cabinet w/cherry doors over galley

Storage - cherry dinette storage cabinet

Storage - cherry drawers & doors under galley

Storage - cherry pull out trash container area

Storage - molded-in fiberglass storage under dinette

Storage - molded-in fiberglass under berth compartments (3)

Storage - shelves

Storage - stacked cherry drawers under forward berth (2)

Stove - electric glass top

Teak and holly sole

Water heater - 11-gallon (41.6 l) 120V

Water level indicator gauge

Water tank - 54-gallon (204.41) freshwater

OPTIONAL FEATURES

CE certification package

Hardtop enclosure - integrated painted aluminum frame w/safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers. rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (navy or ivory) International AC electrical conversion - 220V (50Hz)

Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)

Painted hull

Seating - side mount cockpit bench seat (available port & starboard)

Canyon 366

36' Center Console

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/T-top: 9' (2.74 m)

Center Line Length: 36' 7" (11.15 m)

Cockpit Area: 85 sq. ft. (7.9 m²)

Cockpit Depth: 28" (0.71 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Outboard Shaft Length:

Port & Starboard Engines: 25" (0.64 m)

Center Engine: 30" (0.76 m)

Standard Fuel Capacity: 420 gal. (1590 l)

Transom Width: 11'4" (3.45 m)

Weight w/o Engines: 12,850 lb. (5829 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)

Basic flotation

Bow rail - low profile 316 stainless steel

Cockpit toe rails Console grab rail (2)

Fire extinguisher holder Lean bar grab rails (2)

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Anchor windlass w/remote switches at helm & windlass

Battery charger

Battery select switches w/extra batteries

Bow thruster

Cleats - flush mount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (6)

Factory engine pre-rigging

Fish box - 263-qt. (248.9 I) port & starboard insulated fish boxes w/ob drain

Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain

Forward bolsters

Fuel capacity - 420 gallons (1589.8 l) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

Lighting - international LED

Rod holders (10)

Rod storage racks - horizontal (10)

Rubrail - high density PVC w/stainless steel insert

Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions

Sirius satellite radio system

Stern eyes - heavy-duty 316 stainless steel

Storage - aft transom drop-in box

Storage - forward anchor locker w/rode storage

Storage - rod pods with nets, LED lighting & drink holders (4)

Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose (forward and aft)

Water tank - 54-gallon (204.41) freshwater

Console

Accessory outlet - 110V Accessory outlet - 12V (2)

Compass

Drink holders - stainless steel (4)

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt w/power assist

Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/amplifiersatellite ready; speakers - aft (2), console (2) &

console forward (2)

Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest

T-top - integrated painted aluminum frame w/radio box, LED down lights (4), storage net, LED spreader lights (3), outrigger plates, stereo speakers (2), hatch, & port and

starboard wing and drop curtains (ivory)

Ventilator - solar powered Water level indicator gauge

Window - tinted frameless acrylic

Windshield - tempered glass, integrated w/T-top

Windshield washer - freshwater

Windshield wiper

Console Interior

Berth - aft bulk storage

Berth cushion w/electrically adjustable bolster Cherry flooring

Cherry wall w/mirrored storage cabinet, magazine rack &

rigging access

Drink holders - stainless steel (2)

Head - stand up head area, shower, storage drawer, sink w/Corian® counter surface & VacuFlush® head w/fold down lid & cushion, 10-gallon (37.9 l) holding tank and

pump out Lighting - dome light Lighting - LED recessed (3)

Lighting - tinted glass skylight Mirror

Refrigerator

Rod storage - vertical lockable (5) Storage - bulk storage pockets

Deluxe Lean Bar

Drink holders - stainless steel (4) Footrests - fold down (2)

Knife & pliers holders (2) Livewell - 41-gallon (155.2 l) insulated raw water livewell

w/see-through lid, light, full column distribution inlet & ob drain (110 GPH pump) (4164 LPH)

Lure holder

164-qt. (155.2 l) cooler

Seating - lean bar mounted Deluxe III helm chairs

w/flip-up bolsters (3)

Storage - lockable bulk storage

Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning - 6,000 BTU in console w/2 outlets at helm

Casting platform insert w/cushions

Flat screen 19" LCD TV w/DVD player & audio visual inputs

Generator - 4 kW diesel, 23-gal (87 l) fuel capacity

Grill - 1300 W (replaces lean bar sink)

International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (3)

(replaces lean bar cooler)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

Table - motorized bow table w/cover

Water heater - 6-gallon (22.7 I) (includes hot water cockpit shower)

Rigging station - lean bar station w/freshwater sink &

Rod holders (6)

CE certification package

Freezer - refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain

(requires generator to power away from dock)

Livewell - 41-gallon (155.2 I) livewell w/see-through lid

Microwave

Painted hull

(converts to forward platform w/cushion)

The ultimate in boating satisfaction. The ultimate in versatility, ease of use, comfort, safety and convenience.

- The bow anchor locker allows quick access to the anchor for safety. Many models have power windlasses with remote switches.
- Flush mount electronics areas are standard on most models.
- 3. Comfortable seating throughout the boat is second to none. Our deluxe seating is fully adjustable for additional comfort. Flip up seat bolsters are available on many models.
- 4. Sound systems are available on nearly all Gradys. They are standard on our larger models.
- 5. Dry storage. Every Grady has plenty, just what you need to enjoy many activities on the water. Room for tow tools and toys, fishing and dive gear, picnic supplies, towels, extra clothing, personal items and more.
- 6. Easy to maintain and clean, stainless steel lined drink holders are everywhere you need them. Convenient, and fewer slippery spills for safety!
- 7. Storage nets are easy to use, easy to get to and perfect for stowing lots of items you can see and quickly locate, especially personal flotation devices (PFDs) in the bigger nets!
- **8. Enclosed head area.** Every Grady-White 20 feet and over offers a head or head option. That's great comfort for all-day adventures.
- **9. Toe rails** are easy to maintain and provide additional safety when you lean over the gunwale.
- 10. Take the rods along every trip! There's room for plenty of rods on every Grady-White. Cabin models, T-tops and hardtops often have additional rod racks.
- 11. Patented fold away aft seating is available on most models, opening up more cockpit room. Big cockpits are a Grady-White feature.



- Grady-White's nonskid surfaces are everywhere you step and really provide traction.
- **13. Tackle storage** and rigging areas are located on most models.
- **14. Insulated ice boxes and fish boxes** drain directly overboard by gravity on every Grady-White.
- 15. Handholds are where you naturally reach.
- **16. Safety windshield** (some models have unbreakable acrylic)
- 17. True self-bailing boat directs water overboard by gravity whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on most models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.
- 18. All Grady-Whites have foam sprayed into the hull for level or basic flotation, even though not required in boats 20 feet and over. This foam also adds strength, thermal insulation and deadens sounds. There is no boat brand with better flotation properties.
- **19. Through-bolted 316 stainless steel hardware** is secured with locking nuts.
- 20. Heavy-duty fiberglass transom door is not only for big fish, but is a safety feature and provides easy access for tow sports, swimming, snorkeling, and more. Solid, 316 stainless transom door hardware is highlighted by a destroyer-sized latch with a positive locking mechanism for added safety.
- 21. Aluminum transom brace is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

You're in command. Boat Smart from the Start! Take a boating education course, and get a vessel safety check for your boat. For more information, contact: U.S. Coast Guard Auxiliary 877-875-6296/800-368-5647 or www.cgaux.org and U.S. Power Squadrons 888-367-8777 or www.usps.org.







The NMMA Certified label on a Grady-White boat is your proof it meets, and often exceeds, industry quality and safety standards.



