



NEW FOR 2006



Wellcraft®

352 TOURNAMENT



L.O.A.		35' 9" (10.89 m)
Beam		9' 11" (3.02 m)
Dry weight (approx.)*		8600 lbs. (3901 kg)
Fuel capacity		400 gal. (1762 L)
Max power @ prop		900 HP (671 kw)
Shaft length: Twin		30" (.76 m)
	Triple (2-port/stbd)	25" (.64 m)
	(1-center)	30" (.76 m)
Water capacity		13 gal. (49.21 L)
Deadrise		23°
Draft up (approx.)		23" (.58 m)
Draft down (approx.)	(Twin)	33" (.84 m)
Draft down (approx.)	(Triple)	39" (.96 m)
Bridge clearance w/std T-top (approx.)		8' 4" (2.54 m)
Bridge clearance w/option sport arch (approx.)		7' 11" (2.41 m)

* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of storage with 4 tilt-out storage bins
- Forward casting platform
- Port/stbd fish box seating cushions with hi-low table converts to full sunlounge
- Large center console (6' head room) includes self contained head and sink with hand held shower
- Rigging station at transom with sink
- Composite transom
 - 10-year structural hull warranty - transferable
- Pressurized fresh and raw water washdown with quick disconnect
- NMMA Yacht Certification
- Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
Bow rail - split - stainless steel
Cleats - pull up stainless steel (7)
Forward anchor line storage
Hand holds - stainless steel
Hardware - thru bolted - stainless steel
Heavy duty rub rail
Integrated swim platform
Rails - stainless steel
Rod holders (4) stainless steel - flush mount with cap
Rod racks - under gunnel - port/stbd
Stainless steel thru hulls
Transom door
Windscreen

COCKPIT

Aft baitwell - 84 qt. - with light
Beverage holders (4)
Cockpit overboard scuppers with screens
Cockpit coaming bolsters - port/stbd
Cooler - 60 qt. - integrated under forward console seat
Courtesy lights
Fold-away rear bench seat cushion and aft bolster
Forward casting platform
Forward fish boxes port/stbd - insulated with sealed lids
Forward fish box seat cushions
Glovebox - lockable
Helm seat - stand up leaning post
Rigging station at transom with sink, raw water washdown and 2 removable bins
T-top FRP with gold tone rod holders (5), spreader lights (2), electronics box and PFD storage bag
Tackle storage with 2 drawers and 2 trays
Tilt out storage bins (4)

HEAD COMPARTMENT

Console entry steps
Dome light with switch - 12V
Full fiberglass liner - skid resistant
Hatch access to console rigging
Mirror
Portside entry door
Portlight - opening with screen
Self contained head
Sink molded in with hand held shower - pressurized fresh water (cold)
Vanity storage with toilet paper holder

MECHANICAL

Accessory plugs - 12V (2)
Aft bilge lighting
Battery charger - 30 amp
Battery switches and parallel switch
Battery trays - heavy duty with stainless steel sliders
Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
Compass
Electronics accessory buss at helm
Full instrumentation - tachometer, speedometer, fuel, volt meter, trim, water pressure and systems check*
Horn - dual flush mount
Hoses - steel reinforced
Ignition safety lanyard
Navigation lights
Oil tank storage (2-stroke engines only)
Pressurized fresh water system with transom shower
**Propellers - stainless steel
Shore power - 30 amp converter with 50' shore power cord
Sirius satellite radio system - Clarion AM/FM CD player, Sirius satellite receiver, antenna, 4 speakers, and digital control at helm
Steering - hydraulic tilt, dual ram standard with triple engines
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Trim tabs - heavy duty with indicators

*System check available with specific engines

**Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Baitstation with 40 gal.
Kodiak baitwell, pullout
drawers, and tackle storage
(double drop out bolster seat w/aft
facing seat not available)
CE certification (for export only)
Double drop out bolster seat
with aft facing seat (not avail-
able with baitstation opt)
Engine cowling cover -
Sunbrella™ with logo for
Yamaha F225 and F250
only (**new**) (available through
parts department only)
Forward bow cushions
Heavy duty dive ladder -
removable
Heavy duty rub rail with
stainless steel insert
High performance controls
(std with triple engines)
Marine head with dockside
pumpout
Overboard discharge for
marine head
Power assisted steering
(Yamaha and Bombardier engines
only)
Remote spotlight
Rod racks - transom
mounted
SeaKey™ - featuring
telematics technology
Sport arch - powdercoat
white with electronics box,
rocket launchers, 2
speakers, lights and
powdercoat white console
rail

Steering wheel - aluminum
with power knob
T-top canvas enclosure -
3 sided
Trim tabs - K380 heavy duty
offshore
Windlass - with electric
up/down foot switches,
150' rope/chain combo,
anchor roller, lanyard and
anchor

***Ray Marine C120 Electronics Package (2) 12.1" Color Displays**

(Units are radar ready - additional
compenents required)

Includes chartplotter,
HDFI fishfinder, and High
Performance 1 KW in-hull
transducer
VHF Radio - Ray 54

Ray Marine Auto Pilot - ST6001 S1G

(available with Yamaha and
Bombardier engines only)

Ray Marine Radar - 4KW Radome

Ray Marine Radar - 4KW Open Array

*Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Hunter Green
Midnite Blue

ENGINE OPTIONS

Tw Yamaha F 250 4-stroke
Tw Yamaha Z 300 HPDI
Triple Yamaha F 225 4-stroke
Triple Yamaha F 250 4-stroke
Triple Yamaha Z 300 HPDI
Tw Merc 225 Verado 4-stroke
Tw Merc 250 Verado 4-stroke
Tw Merc 275 Verado 4-stroke

Triple Merc 225 Verado 4-stroke
Triple Merc 250 Verado 4-stroke
Triple Merc 275 Verado 4-stroke
Tw Evinrude 225 E-Tec
Tw Evinrude 250 E-Tec
Triple Evinrude 225 E-Tec
Triple Evinrude 250 E-Tec

Specifications, options, and equipment are subject to change
without notice.

